

Netherlands Register of Apple Cultivars
Kies, K. 1959

The following is the National Register of Apple Cultivars drawn up according to the proposals made at the meetings of the "Working Committee on Nomenclature and Registration of Fruit Cultivars". It represents cultivars, both Dutch and foreign, recorded in the Netherlands literature since 1853, which are or were in cultivation or cultivars of which the name is only validly published. Special attention is therefore given to the fact that the cultivar concerned is named in an official variety list, a nursery catalogue, a horticultural weekly etc.

Foreign as well as domestic varieties, which were only planted for trial on official stations or private farms and were not commercialised afterwards in the Netherlands, are not included in this list.

Information on foreign cultivars is limited by recording only the Dutch synonyms and references, country of origin, the date and the inclusion in any fruit list or catalogue.

As the actual number of current cultivars is very small most descriptions have been found in more or less old literature. This may not be a serious drawback because the main purpose for this list is to avoid confusion in naming new cultivars.

Wageningen - Februari 1969

National Apple Cultivar List

LIST OF REFERENCES

- BV "Beschrijving der Vruchtsoorten" - I, II, III
(publ. 1862 at Boskoop)
- Otto "De Nederlandsche Boomgaard"
(publ. by Ottolander et al. - 1868)
- dG. "Onze appels en peren"
(publ. by H. de Greeff - 1905)
- Nhm "Nederlandsche Fruitsoorten"
(publ. by Ned. Heide Mij - 1943-1946)
- Ft. "De Fruitteelt"
(Weekly for fruitgrowers since 1930)
- RL "Rassenlijst voor Fruitgewassen" (advisory list for fruit crops)
A = Main var. B = additional var.
N = worthy of trial O = var. of limited importance
- Bene "Benelux rasnamenregister van fruitgewassen" (1962)
- N.A.K.B. List of cultivars to be certified by the Gen. Neth. Inspection
Service for Arboriculture
- Fruittree catalogues of Nurseries:
- CO C. Ottolander (Boskoop) - since 1854
- PL P.J. Looymans (Oudenbosch) - since 1860
- Ga Galesloot (Amsterdam) - since 1880
- WK W. Keessen (Aalsmeer) - since 1890
- Lb P. Lombarts (Zundert) - since 1904

- (Aagt Blanke) see Blanke Aagt
- (Aagt Enkhuizer) see Enkhuizer Aagt
- (Aagt Rode) see Rode Aagt
- (Aagt Zomer) see Zomer Aagt

- Adams's Pearmain
 - Ref. : Otto
 - Prov. : U.K.
 - Date : Cat.PL. 1890

- Adersleber Calville
 - Ref. : Nhm.
 - Prov. : Germany
 - Date : Cat.Lb. 1911

- Akerö
 - Syn. : (Akerá, Akara)
 - Prov. : uncertain
 - Date : Cat.WK 1890
 - List : RL 1933-1948, N.

(Alexander) see Keizer Alexander

- Alice
 - Status: N.A.K.-B. 1966
 - Prov. : Sweden
 - Date : Br. Rights. 1968

- Alfriston
 - Prov. : U.K.
 - Date : Cat.CO. 1854

- Alkmene
 - Status: In I.V.T. collection 1966
 - Prov. : D.D.R.
 - Date : N.A.K.-B. 1966

- Allen Everlasting
 - Prov. : U.K.
 - Date : Cat.P.L. 1912

- Allington Pippin
 - Ref. : Nhm.
 - Prov. : U.K.
 - List : RL. 1933-1954 (B)

- Alton
 - Status: N.A.K.-B. 1958, 1963
 - Prov. : U.S.A.
 - Date : Cat.Lb. 1958

(Atländer Glockenapfel) see Glockenapfel

⊥ American Mother

Prov. : U.S.A.
Date : CatWK. 1900

- Amerikaner

Status: in I.V.T. collection 1944
Prov. : local var. from Beuningen (Gld.)-Neth.

(Ananas Blanke) see Blanke Ananasappel

+ Ananas Reinette

Syn. : (Reinette Ananas)
Refs. : Otto, dG, Nhm.
Status: Cat.Lb. 1967
Prov. : pres. Meth.
Date : recorded 1853
Fruit : med./small; interm./tall, trunc.-conic., conv.; skin yell., many grey dots; flesh firm, crisp., yellowish, subacid, arom.; late

- André Sauvage

Prov. : France
Date : Cat.WK. 1906

(Anijsappel) see Fenouillet Gris

⊥ Anna Boelens

Ref. : Nhm.
Prov. : raised by S.A. Blijstra, 1914, Neth.
Date : introduc. by G.A. v. Rossem, Naarden 1934 (Neth.)
List : RL. 1935-1948, N.
Fruit : med.; flat, rect./trunc.-conic., conv., ribb. eye basi skin yell., largely blushed, short striped orange-crim red; flesh soft, white, subacid; late.

- Annie Elizabeth

Prov. : U.K.
Status: grown in Groningen, Drente (Neth.) before 1940

- Api Rose

Prov. : France
Date : Cat.Ga. 1880

- Api Noir

Prov. : France
Date : Cat.Ga.1880

- Api Panaché

Prov. : France
Date : Cat.Ga. 1880

- Appel van Golden
 - Status: in I.V.T. collection
 - Prov. : Zundert (Neth.)

- Appel van Paris
 - Par. : Brabantse Bellefleur x Jonathan
 - Status: no comm. sign.
 - Prov. : bred at Hort. Dep. Univ. Wageningen (Neth.)
 - Date : Br.Right 1953-1959
 - Fruit : med.; flat, rect., trunc.-conic., conv., ribb. eye basin
skin yell., almost entirely blushed; short striped orange
crimson red; flesh firm, cream, subacid; late/very late.

- Appel van Zeyl
 - Syn. : (appel van Zijl)
 - Status: in I.V.T. collection 1950; no comm. sign.
 - Prov. : Neth.
 - Date : grown in Boskoop 1930

- Appel van Smeyers
 - Status: in I.V.T. collection 1957; no comm. sign.
 - Prov. : Neth.

(Archiduc Antoine) see Erzherzog Anton

(Armgaard) see Zoete Ermgaard

- + Assumpta
 - Status: N.A.K.-B. 1958, 1966
 - Prov. : Belgium

- Astillisch
 - Status: in I.V.T. collection 1964
 - Prov. : W.Germany
 - Date : Br.Rights 19.. (applicant Max Planck Inst., Köln)

(Astrakaner Rode) see Rode Astrakaner

(Astrakaner Witte) see Witte Astrakaner

- Atlanta
 - Syn. : (Helena)
 - Status: no comm. sign.
 - Par. : Sterappel x Cox's Orange Pippin
 - Prov. : bred at Hort. Dep. Univ., Wageningen
 - Date : Br.Rights 1953-1956
 - Fruit : med.; tall, trunc.-conic., conv., ribb eye basin; skin
pale yell., almost entirely blotched pink-crimsonred,
consp. dots; flesh firm, cream, subacid sweet, arom; lat

- + Auralia (in D.D.R.)
 - Syn. : Tumanga (in W.Germany)
 - Status: in I.V.T. collection 1966
 - Prov. : Germany
 - Date : Br. Rights 19.. (applicant Max Planck Inst., Köln)

- Balancer
 - Status: used as interstock
 - Prov.: uncertain
 - Date: NAK-B. 1948

- Balder
 - Status: no comm.sign.
 - Par.: James Grieve x Irish Peach
 - Prov.: raised by Inst.Hort.Plant.Br., Wageningen (Neth)
 - Date: crossing made in 1950; applied for Br.Rights and withdrawn 1961-1963.
 - Fruit: med.; flat/interm., trunc.-conic., conv.; skin sm., pale yell., largely blushed red; flesh firm, cream, subacid, arom.; late.

- Baldpolders
 - Status: in I.T.V.collection 1946; no comm.sign.
 - Prov.: Zeeland (Neth.)

- + Baldwin
 - Prov.: USA
 - Date: Cat.Ga. 1880

- Banketappel
 - Prov.: uncertain
 - Date: Cat.WK. 1890

- Banket van Tulpenburg
 - Status: in I.V.T.collect.1950; no comm.sign.
 - Prov.: pres. Neth.

(Banket Schrijver) see Vlaamse Schijveling

(Banket Schijveling) see Vlaamse Schijveling

- Barbarie
 - Syn.: (Barbarei, De Barbarin, Barbariot)
 - Prov.: France
 - Date: Cat.Ga. 1880

(Barowiski) see Charlamowsky

- Baumann's Reinette
 - Syn.: (Reinette Baumann)
 - Refs.: Otto
 - Prov.: Belgium or Germany
 - Date: grown before 1853
 - Listed: R.L. 1933-1935 (0).

- + Beauty of Bath
 - Refs.: Nhm.
 - Prov.: U.K.
 - Date: Cat.WK. 1900; NAK-B. 1948
 - Listed: RL. 1954-1957 (N).

- + Beauty of Kent
Prov.: U.K.
Date: Cat.C0. 1854

- Bedfordshire Foundling
Prov.: U.K.
Date: Cat.WK. 1863

- Belle Agathe
Prov.: uncertain
Date.: Cat.Ga. 1880

- Belle Angevine
Prov.: France
Date: Cat.Ga. 1880

- Belle d' Avril
Refs.: Otto
Prov.: uncertain
Date: Cat.Ga. 1880

- (Belle de Boskoop) see Schone van Boskoop

- Belle de Douai van Zwijnsbergen
Status: no.comm.sign.
Prov.: pres. France
Date: Cat.Lb. 1947
Fruit: med.; interm., conic., straight, ribs prominent;
skin sm. yell., blushed pinkred; flesh fine, subacid/
sweet; late.

- + Belle de Pontoise
Refs.: dG
Prov.: France
Date: Cat.Lb. 1934
Listed: RL. 1933-1935 (0).

- Belle de Saumur
Prov.: France
Date: Cat.PL. 1863

- Belle des Jardins
Prov.: France
Date: Cat.Ga. 1880

- Belle du Bois
Prov.: France
Date: Cat.Ga. 1880

- Belle du Desert
Status: used as interstock
Prov.: France
Date: NAK-B. 1954

- Belle du Havre
 - Prov.: France
 - Date: Cat.Ga. 1880
 - (Bellefleur Brabantse) see Petit bon Pommier
 - (Bellefleur Drentse) see Drentse Bellefleur
 - (Bellefleur Hollandse) see Hollandse Bellefleur
- Bellefleur Large Mouche
 - Syn.: (Ossekop)
 - Prov.: pres.Fr.
 - Listed: RL. 1933-1948 (B)
 - Fruit: large, irreg.; flat/intern., rect., conv., body ribb.; skin gr. yell., striped light red; flesh cream, acid; mid season/late; culinary
- Ben Davis
 - Prov.: USA
 - Date: Cat.Ga. 1880
- + Benderzoet
 - Syn.: (Enkele Benderzoet)
 - Prov.: Neth.
 - Listed: RL. 1933-1935 (B)
 - Fruit: med.; intern., trunc.-conic., conv., eye basin ribb.; skin yell., blushed red, striped orange-brown red, russeted in cavity and eye basin; flesh firm, white, sweet; very late.
- Bengelzoet
 - Status: local var.
 - Prov.: Neth.
 - Date: grown in 1935
 - Fruit: flesh sweet.
- + Benoni
 - Prov.: USA
 - Listed: RL. since 1948 (B)
- Berglander
 - Status: in I.V.T.collect. 1943
 - Prov.: Belg.
 - (Berlepsch) see Freiherr von Berlepsch
- Bestrood
 - Refs.: Nhm.
 - Prov.: Raised by "Lunterse Zaailing Ver."
 - Date: introduced 1899
 - Listed: RL. 1943-1948 (N)
 - Fruit: med.; flat/intern., trunc.-conic., conv., eye basin ribb.; skin yell., blushed, striped red; flesh coarse, white, subacid, sl.arom.; mid.s./late.

- Betuws Present
 - Status: local.var.
 - Par.: Cox's Orange Pippin seedling
 - Prov.: raised by J.Doortjes (Drumpt-Tiel), Neth. 1930
 - Listed: applied and withdrawn for Br.Rights. 1946-1947
 - Fruit: med.; intern., trunc.-conic., conv., body ribb.
stem long; skin sm. greasy, gr.yell.; flesh soft,
yell., acid; sec.early.

- Bismarck
 - Syn.: (Bismarckappel)
 - Refs.: dG., Nhm.
 - Prov.: Australia
 - Date: Cat.WK. 1896

- Black Jonathan
 - Syn.: (Blackjon)
 - Par.: red mutant of Jonathan
 - Prov.: USA
 - Listed: RL. 1962

- Blanke Aagt
 - Syn.: (Aagt Blanke, Tulp Aagt.)
 - Refs.: Otto
 - Prov.: pres. Neth.
 - Fruit: small; interm, trunc.-conic., conv./straight; skin
yell., flushed, striped crimsonred; flesh subacid; late.

- Blanke Ananasappel
 - Syn.: (Ananas Blanke, Tobiasappel)
 - Refs.: Otto
 - Prov.: pres. France

- (Blanke Madeleine) see Transparente Jaune

- (Blanke Poom) see Pigeon Blanc

- (Blanke Tulpappel) see Blanke Aagt

- Blanke Herfst Rabau
 - Syn.: Bloemzuur
 - Refs.: BVI
 - Prov.: uncertain
 - Date: Cat.Ga. 1880

- Blanke Ribber
 - Prov.: uncertain
 - Listed: RL. 1933 (0)

- Blauwzoet
 - Status: in I.V.T.collect. 1943; no comm.sign.
 - Prov. Neth.
 - Fruit: flesh sweet

Blauwzuur

Status: in I.V.T.collect. 1940, no comm.sign.
Prov.: Neth.

Blenheim Orange

Syn.: (Blenheim Pippin, Reinette de Blenheim)
Refs.: BV., Otto, dG. Nhm.
Prov.: U.K.
Date: Cat.CO. 1854

Bloemzoet

Syn.: (Bloemzoet, Zoete Bloemee, Blomzoet, Herfst Bloemzoete)
Refs.: Nhm.
Date: Cat.PL. 1860
Listed: RL. 1933-1954 (A)
Fruit: med.; flat, trunc.-conic., conv.; skin green yell.,
striped, flushed red; flesh, white, soft, sweet;
sec.-early.

Boerma's Unicum

Status: in I.V.T.collect. 1949; local var.
Prov.: Neth.

Boiken Apfel

Refs.: Otto
Prov.: Germany
Date: Cat.Ga. 1880

Bordanappel

Status: in I.V.T.collect. 1940
Prov.: Zeeland (Neth.)

(Borovitsky) see Charlamowsky

Borsdorfer

Syn.: (Bosdorfer)
Refs.: Otto
Prov.: Germany
Date: Cat.CO. 1854

Bosappel

Prov.: seedling found by H.Bos (Dodewaard), Neth. 1880
Listed: RL. 1935-1943, N.
Fruit: med./small; flat, trunc.-conic., conv., eye basin ribb;
skin sm.green yell., flushed red, cavity russeted;
flesh firm, cream, subacid; midseason; culinary

(Boskoop) see Schone van Boskoop

Boston Russet

Prov.: USA
Date: Cat.CO. 1854

(Brabantse Bellefleur) see Petit Bon Pommier

- Braddick's Nonpareil
Prov.: U.K.
Date: Cat.CO. 1854

- Bramley's Seedling
Syn.: (Triomphe de Kiel)
Refs.: Nhm.
Prov.: U.K.
Listed: RL. 1933-1960, A.

- Brickley's Seedling
Prov.: U.K.
Date: Cat.CO. 1854

- Brielse Calville
Syn.: (Calville Brielse)
Refs.: Otto, BV II
Prov.: pres. Brielle (Neth.)
Fruit: med./small; flat/interm., trunc.-conic., conv., body
ribb.; skin yell., flushed light red; flesh fine,
soft, cream, subacid; late.

- Brilliant
Status: no comm.sign. NAK-B. 1958
Par.: Brabantse Bellefleur x Gronsvelder Klumpke
Prov.: raised at Hort.Dep.Univ. Wageningen (Neth.)
Date: crossing made 1935
Fruit: med., irreg.; interm., rect., conv., eye basin ribb.;
skin yell., blushed dullred, cavity russeted; flesh
cream, firm, dry, subacid; late.

- Bruidegom
Status: in I.V.T.collect. 1943
Prov.: Neth.

- Bruindelings
Syn.: (Bruineling)
Prov.: pres. Neth.
Date: Cat.WK. 1896

- Bruinzoete
Prov.: pres. Neth.
Date: Cat.WK. 1863
Fruit: flesh sweet.

C

(California) see Fey's Record

Calville Blanc d'Hiver

Syn.: (Witte Winter Calville)

Refs.: B.V.I; Otto, dg

Prov.: France

Date: Cat. PL. 1860

(Calville Blanc d'Eté) see Cornish Gilliflower

(Calville d'Angleterre) see Cornish Gilliflower

(Calville de Londres) see London Pippin

- Calville Imperiale

Refs.: B.V.III; Otto

Prov.: uncertain

Date: grown in 1853

- Calville Madam Lesans

Refs.: Nhm, dG

Prov.: France

Date: Cat.WK. 1896

(Calville Rode Zomer) see Rode Zomer Calville

- Calville van Boskoop

Ref.: B.V.III

Prov.: Neth., raised by P.Hooftman, Boskoop 1863

Fruit: med.; flat, trunc.-conic., conv., body ribb.; skin green yell., blushed red; very late.

- Campagnezoet

Syn.: (Zoete Campagne, Zoete Campagner)

Refs.: Otto, dG, Nhm.

Prov.: pres. Neth.

Date: Cat. PL. 1860

Listed: RL. 1933-1935

Fruit: med., variable; flat/interm., trunc.-conic., conv.; skin sm., green yell., blushed dull. crimson red, many dots; flesh white, firm, sweet; late/very late

- Car Red June

Status: NAK-B. 1963

Prov.: U.S.A.

- Carola (in D.D.R.)

Syn.: (Kalco in W.Germany)

Prov.: Germany

Date: Br.Rights 19.. (holder Max Planck Inst., Köln)W.Germany

- Casseler Reinette

Syn.: (Reinette de Caux, Reinette de Cassel)

Ref.: dG

Prov.: Germany

Date: Cat.CO. 1854

-Cellini

Ref .: dG
Prov.: U.K.
Listed: RL 1933-1935, 0
Date: Cat.PL. 1890

-Ceres

Ref .: Ft. 1952 (p. 879)
Status: no comm.sign., NAK-B. 1958
Par.: Cox's Orange Pippin x Jonathan
Prov.: raised at Hort.Dep.Univ., Wageningen (Neth.)
Listed: RL. 1957, N.
Fruit: med.; flat, rect., conv.; skin green yell., blushed,
striped red; flesh subacid, arom.; late

-Charlamowsky

Syn.: (Borovitsky, Barowski, Duchess of Oldenburg)
Refs.: BV., Otto, Nhm.
Prov.: Russia
Listed: RL. 1933-1935, 0

-Champagner Reinette

Ref .: dG
Prov.: France or Belgium

-Charles Ross

Prov.: U.K.
Date: Cat. Lb. 1935
Listed: RL. 1933

-Cherry Cox

Status: NAK-B. 1954
Prov.: Denmark
Listed: RL. 1954-1965

- Citrine

Ref .: Ft. 1952 (p. 879)
Status: no comm.sign., NAK-B. 1958
Par.: Sterappel x Cox's Orange Reinette
Prov.: raised at Hort.Dep.Univ., Wageningen (Neth.)
Fruit: med./small; flat, rect., conv.; skin pale yell.,
blushed, striped red, many grey dots; flesh firm,
yell., white, subacid, arom.; midseason/late

- Citroenappel

Syn.: (Citroenzuur)
Ref .: BV.
Status: in IVT-collect. 1942; Cat. Lb. 1953
Prov.: uncertain
Date: Cat. PL. 1860
Fruit: tall., conic., straight, body ribb.; skin sm. yell.,
striped, flushed pinkred; flesh soft, subacid

- Citroen Bellefleur

Status: local var.
Prov.: uncertain
Date: recorded 1942
Fruit: med.; interm., trunc.-conic., conv.; skin sm. pale
yell., flushed red, many dots; flesh cream, acid;
mid-season

- Clasiëappel
Status: in IVT-collect. 1940
Prov.: Neth.
- Clivia
Status: in IVT-collection 1966
Prov.: D.D.R.
- Close
Prov.: U.S.A.
Listed: RL 1954-1965,

(Codlin Keswick) see Keswick Codlin
- Coelhorst
Status: in IVT-collect. 1946
Prov.: Neth.
- Coc's Golden Drop
Prov.: U.K.
Date: Cat.Ga. 1879
- Comtesse d'Elslo
Status: in IVT-collect. 1946
Prov.: Neth. or Belgium
- Constantijn de Groot
Status: in IVT-collect. 1940
Prov.: Zeeland (Neth.)
- + Cornish Gilliflower
Syn.: (Calville d'Angleterre, Calville Blanc d'Eté)
Ref.: dG
Prov.: U.K.
Date: Cat. Ga. 1879
- Cortland
Prov.: U.S.A.
Listed: Z.R L. 1942, Bene. 1962
- Couleur de Chair
Syn.: (Jagtappel, Zomer Zijden Hemdje, Rode Striepjesappel,
T.rwappel, Pauwtjes.)
Ref.: BVI
Status: grown in 1853
Prov.: France
- Court of Wick
Refs.: BV., Otto
Prov.: uncertain
Date: Cat. WK. 1890
- Courtpendu Lombarts
Prov.: Neth.
Date: Cat. Lb. 1947
- Courtpendu Plat
Syn.: (Korpendu, Karpendu, Kerpendu)
Refs.: BV., Otto, dG, Nhm.
Prov.: uncertain
Date: grown in 1853 till 1940

- Cox's Orange Pippin
Refs.: BV., Otto, dG, Nhm.
Prov.: U.K.
Listed: RL. since 1933, A.

- Cox's Pomona
Refs.: Bv., Otto, dG, Nhm.
Status: grown till about 1940
Prov.: U.K.
Date: Cat.WK. 1890

- Crimson Cox
Syn.: (Rode Cox)
Prov.: U.K.
Listed: RL. 1948-1965, 0

- Culemborgs Roodje
Status: local var.
Prov.: Culemborg (Neth.)
Date: auction Kesteren (Neth.) 1942

- Damason Reinette
 - Prov. : Switserl.
 - Date : Cat. Lb. 1951

- Dantziger Kantappel
 - Syn. : (Kantappel, Rode Kantappel, Rosen apfel)
 - Refs. : B.V.I., Otto
 - Prov. : Germany
 - Date : grown in 1853

(Dauerapfel von Hambledon) see Hambledon Deux Ans

(Dumelow's Seedling) see Wellington

- Dekkers Glorie
 - Prov. : select. by C. Dekker, Blokker (Neth.) 1930
 - Listed: RL 1938-1954
 - Fruit : med.; variab.; tall., conic., straight, body slightly ribbed; skin sm.yell.; $\frac{3}{4}$ blushed and striped carm. red to orange; flesh firm, creamy, subacid; season mid.

(Dekkers Roem) see Roem van Dekker

- Delicieuse de Kew
 - Prov. : U.K.
 - Date : Cat. WK 1890

- Delirosa
 - Status: no comm. sign.
 - Par. : mutant of Golden Delicious
 - Prov. : discovered by Th. Vogelaar, Krabbendijke (Neth.)
 - Date. : Br. Rights 1964-1965 (Neth.)
 - Fruit : skin sm.yell.blushed pink were exposed to the sun; many conspic. brown dots.

- Devonshire Quarrenden
 - Prov. : U.K.
 - Date : Cat. WK 1890

- Diepe Kopjes
 - Syn. : (Little Hollow Crown)
 - Ref. : Otto
 - Prov. : Neth.
 - Fruit : small; interm., rect., conv.; skin sm. yell.; blushed orange; flesh yell., white, firm, subacid; season late.

- Dirkappel
 - Status: local var.
 - Prov : Neth.
 - Date : grown in 1943

- Dijkmanszoet

Ref. : Nhm.
Prov. : Neth.
Listed: 1954-1967,0
Fruit : med.; interm., trunc.-conic., straight; skin sm.pale yell., striped, mothled pink to red; russet in and around cavity; flesh dry, white, sweet; seas.late.

- Directeur van de Plassche

Ref. : Ft. 1951 (p.206)
Status: no comm. sign.
Par. : Brabantsche Bellefleur x Jonathan
Prov. : raised at Hort. Dep. Univ. Wageningen (Neth.)
Date : applied for Br. Rights 1950; withdrawn 1956
Fruit : med.; flat/interm., rect., conv., eye basin ribb;; skin sm. yell. blushed brown red, short striped; flesh soft, white subacid; season late.

- Discovery

Syn. : ('Discovery' commercial syn. of 'Thurston August')
Prov. : U.K.
Date : Br. Rights 1965 (Neth.)

- Discus

Ref. : Ft. 1951 (p.206)
Status: no comm. sign.; N.A.K.-B. 1958
Par. : Sterappel x Cox's Orange Pippin
Prov. : raised at Hort. Dep. Univ. Wageningen (Neth.)
Fruit : med.; flat, rect., conv.; skin green yell., partly blushed red; many greyish dots; flesh subacid, soft; season late.

- Doek Martens

Status: in I.V.T.-collect. 1950; no comm. sign.
Prov. : Neth.

- Dokkumer Nije

Prov. : raised by H. Dijkstra, Dokkum (Neth.)
Date : selected 1933
Listed: RL 1943, N.
Fruit : med./large; tall., trunc.-conic., straight/conv., ribb. on body; skin sm. yell., partly striped cherryred, cavity russeted; flesh firm, cream, acid, season late.

- Domineska

Refs. : B.V.I., Otto
Prov. : Russia
Date : Cat. Ga 1880

(Dongenappel) see Lombarts Calville

(Dordsche Aagt) see Rode Aagt

- Downton Pippin

Prov. : U.K.
Date : Cat. WK 1906

- Double Red Wealthy
Prov. : U.S.A.
Date : RL 1962-1965, N.

- Doucklaer
Prov. : uncertain
Date : Cat. Ga 1880

- Doux d'Argent
Prov. : France
Date : Cat. Ga 1880

- Dovezoet
Status: local var.
Prov. : Neth.
Date : grown in 1942
Fruit : flat, conic.; skin yell., striped orangered; flesh soft cream, sweetish

- Drap d'Or
Syn. : (Goudlaken appel, Goldzeug apfel)
Ref. : BV
Prov. : France
Date : Cat. PL 1860

+ Drentse Bellefleur
Prov. : found in Nieuw-Amsterdam (Neth.) 1901
Date : RL 1935-1947, B

- Dreysappel
Status: in I.V.T.-collection 1946
Prov. : uncertain

- Dr. Harvey
Prov. : UK.
Date : Cat. Wk 1890

- Dr. Julian
Status: local var.
Prov. : Loppersum (Neth.)
Date : grown in 1943
Fruit : conic., straight; skin green, yell., many dots, greasy; flav., acid

+ Dr. Seelig's Orangenpepping
Syn. : (Dr. Seelig's Reinette)
Ref. : Nhm.
Prov. : Germany
Date : Cat. WK 1896
Listed: RL 1933-1953, O.

+ Dubbele Bellefleur

Syn. : (Franse Bellefleur (falso), Belle Fleur Double)

Ref. : Nhm.

Prov. : uncertain

Listed: RL 1933-1935, A.

Fruit : large, variable; flat/interm., trunc.-conic., straight/con
very prom. ribb.; skin yell. green, striped, flushed red;
flesh, cream, soft, subacid; midseason

.. Dubbele Benderzoet

Status: local var.; in existence 1942

Prov. : Neth.

Fruit : med.; interm., trunc.-conic., conv.; skin sm. yell., flush
pink to brownred, russet around cavity; flesh rather soft,
white, sweet

- Dubbele Kersappel

Status: in I.V.T.-collection 1948

Prov. : Neth.

- Dubbele Schijveling

Status: in I.V.T.-collect. 1950

Prov. : Neth.

- Dubbele Zoete Aagt

Syn. : (Zoete Aagt)

Status: used as interstock; N.A.K.-B. 1948-1966

Prov. : Neth.

Listed: RL 1933-1935

Fruit : med.; flat/interm., conic.; skin sm. yell., blushed pinkre
flesh cream, sweet; season late.

- Duchesse de Brabant

Prov. : uncertain

Date : Cat. Ga 1880

(Duchesse d'Oldenburg) see Charlamowsky

- Du Halder

Refs. : B.V. III, Otto

Prov. : Belgium

Date : Cat. PL 1872

Dubbele Zure Grauwe Reinette

Syn. : (Reinette Grise, Grauwe Reinette)

Ref. : Otto

Date : in exist. 1853

Prov. : uncertain

Fruit : med.; interm., rect., conv.; skin rough, covered with
russet, brownred; flesh fine, subacid; very late.

- Early Joe
 Prov. : U.S.A.
 Date : Cat. WK 1890
- + Early Mc. Intosh
 Status : N.A.K.-B. 1958, 1966
 Prov. : U.S.A.
- + Early Red Bird
 Status : N.A.K.B. 1958
 Prov. : U.S.A.
 Date : Cat. Lb 1940
- + Early Victoria
 Ref. : Nhm.
 Prov. : U.K.
 Listed : RL 1934-1954, A
- Ecklinville Seedling
 Prov. : Ireland
 Date : Cat. WK 1890
- + Echtelds Zoet
 Status : local var.
 Prov. : auction Kesteren (Neth.) 1942
 Fruit : interm., trunc.-conic., conv.; skin sm. yell., russet patches; flesh yell., sweet; season late.
- Eetherse Wijnappel
 Prov. : found by Mr. Branderhorst, 1840, Neth.
 Listed : RL 1935-1939, H.
 Fruit : med., interm./tall.; skin green yell.; flesh firm, flav. subacid, season sec. early
- Eierappel
 Status : auction Goes (Neth.) 1940
 Prov. : uncertain
 Date : grown in 1853
 Fruit : med.; tall., trunc.-conic.; blushed, striped red; flav. subacid
- Eisdener Klumpke
 Syn. : (Eysdener Klumpke, Posson Rouge de Hollande Sabot d'Eisden)
 Ref. : dG.
 Status : N.A.K.-B. 1948-1958
 Prov. : Eisden (Neth.)
 Listed : RL 1933-1948, B.
 Fruit : med.; interm./tall, trunc.-conic., conv.; ribbed on both sides; often consp. fleshbump near stem; skin sm. largely bluish striped purperred; flesh firm; subacid; season very late
- Ejby appel
 Syn. : (Rode Yellow Transparant)
 Prov. : Danmark
 Date : Cat. Lb. 1960
- + Ellisons Orange
 Refs. : Nhm.
 Prov. : U.K.

- Elton Beauty

Prov. : U.K.
Listed : RL 1960-1963

(Engelse Bellefleur) see Koningszuur

- Engelse Pigeon

Prov. : U.K.
Date : Cat. WK 1890
Listed : RL 1933-1935

(Engelse Winter Gold Pearmain) see King of the Pippins

(Enkele Benderzoet) see Benderzoet

- Enkele Zoete Aagt

Syn. : (Zoete Aagt)
Status : used as interstock; N.A.K.-B. 1954, 1966
Fruit : flesh, sweet

- Enkhuizer Aagt

Syn. : (Zure Wildjesappel, Trijn Weeuwster)
Ref. : BV.I
Date : grown in 1853
Prov. : pres. Neth.
Fruit : small/med.; tall., conic., straight/conv.; eye basin ribb.; skin pale yell., flushed crimson red; flav. subacid; season late/very late.

(Epicure) see Laxton's Epicure

- Erich Neumann's Rode James Grieve

Par. : red mutant of James Grieve
Prov. : Germany
Date : Br. Rights since 1959
Listed : RL 1957, 1967
Fruit : skin sm. yell., at first striped, later blushed red; ripens 10 d. after James Grieve.

(Ermgaarde) see Zoete Ermgaard

- Eva Appel

Syn. : (Evazoet)
Status : auction Kesteren (Neth.) 1943; recorded Wageningen 1950
Prov. : pres. Neth.
Date : originated before 900
Fruit : flat/interm., conic., conv.; skin yell. narrowstriped, blushed red; flesh cream, sweet.

- Excelsior

Prov. : U.K.
Listed : Z.R.L. 1942

(Fenouillet Anisé) see Fenouillet Gris

- Fenouillet Gris

Syn. : (Fenouillet Anisé, Anijsappel)
Prov. : France
Date : Cat. W.K. 1890

- Fey's Record

Syn. : (California)
Status : grown in Limburg (Neth.) 1945
Prov. : Germany

- Filippa

Prov. : Denmark
Listed : RL. 1933, N.

- Florianer Rosen

Syn. : (Floriander, Rosenappel)
Prov. : Germany
Date : Cat. WK. 1890

- Fraas Sommerkalvil

Ref. : Otto
Prov. : Germany
Date : in exist 1853

(Framboosappel Herfst) see Herfst Framboosappel

- Franse Bellefleur

Syn. : (Franc Bon Pommier; Double Bon Pommier)
Status : in I.V.T.-collect. 1943
Listed : Bene
Prov. : uncertain

- Franse Bloemzoet

Status : in I.V.T.-collect. 1942
Prov. : uncertain
Fruit : interm., trunc-conic., conv.; skin green yell., blushed,
striped brownred; flesh firm., flav.sweet/subacid

(Franse Grauwe Reinette) see Franse Reinette

(Franse Kroon) see Princesse Noble

- Franse Paradijs

Status : in I.V.T.-collect. 1950
Prov. : uncertain

- Franse Reinette

Syn. : (Franse Grauwe Reinette, Grijze Franse Reinette)
Refs. BVI, Otto, dG.
Status : Cat. Lb. 1956
Prov. : uncertain
Date : in exist 1853

(Franse Schrijver) see Vlaamse Schijveling

(Franse Wijnzuur) see Franse Zure

- Franse Zure

Syn. : (Franse Wijnzuur)

Prov. : uncertain

Listed : RL. 1933-1948, B.

Fruit : med.; flat, rect., conv.; skin green yell., blushed, striped red; flesh green, white, firm., acid, season very late.(kitchen apple)

- Frans Hals

Status : no comm. sign.

Ref. : Ft. 1953 (p.867)

Par. : Jonathan x Cox's Orange Pippin

Prov. : raised at Hort. Dep. Univ., Wageningen (Neth.)

Fruit : large/med.; flat, trunc.-conic., conv.; skin sm. yell. largely blushed, striped red; flesh cream, subacid;

- Freiherr von Berlepsch

Syn. : (Berlepsch Goudreinette)

Prov. : Germany

Date : Cat. Lb. 1934

G

- Gamerse Zure
 - Status: in existence 1940.
 - Prov.: Betuwe (Neth.)
 - Date: grown before 1900
 - Fruit: med./large, irreg.; med., trunc.-conic., eye basin and body ribbed; skin pale yell., flesh firm, white, acid, sec.-early.

- Ganzebout
 - Status: in existence 1943
 - Prov.: Zeeland
 - Fruit: med., tall., conic.; skin yell., blushed orange-red, flesh yell. subacid; season sec.-early.

- Gascoyne's Scarlet
 - Syn.: Gasconjer
 - Status: in existence 1953
 - Ref.: Nhm.
 - Prov.: U.K.

- Geelzoet
 - Status: in existence 1943; local var.
 - Prov.: Neth.
 - Fruit: med., interm., conic., conv.; skin yell.; flesh firm., sweet.

- Geert Veenhuizen
 - Status: in IVT-collection 1948.
 - Prov.: Groningen (Neth.)

- Gelber Richard
 - Prov.: Germany
 - Date: Listed 1933-1938

- * Gelderse Bellefleur
 - Status: local var.; in existence 1955.
 - Prov.: uncertain
 - Fruit: med.; tall., interm., conic., straight; skin sm. yell., blushed purperred, greasy; flesh yell., cream, firm., subacid.

- Gele Keuleman
 - Syn.: Blanke Keuleman
 - Status: no comm. sign.
 - Prov.: uncertain
 - Date: in exist-1942
 - Fruit: med., interm./tall., conic., straight; skin yell., flushed, short striped red; flesh cream, subacid; very late.

- Gendringse Kroon
 - Status: local var.
 - Prov.: Gendringen (Neth.)
 - Date: in exist 1943.
 - Fruit: med., tall., trunc.-conic., conv.; skin yell., blushed red; flesh yell., subacid; mid-season.

-Gerrit Roelof

Syn.: (Gert Roelof)

Status: local var.

Prov.: Betuwe (Neth.)

Fruit: med., interm, conic., straight; skin orange-yell., blushed striped red; flesh yell., sweet; season late.

(Glasappel) see Virginische Rosenappel

- Glockenapfel

Syn.: (Weisser Glockenapfel; Altländer Glockenapfel)

Status: no comm.sign.

Prov.: Germany

Date: NAK-B. 1954; RL 1954-1957. *N*

- Gloria Mundi

Ref.: BV.I

Prov.: Germany

Date: WK 1890

- Glorie van Holland

Ref.: Nhm.

Prov.: found by Haselbach at Rockanje (Neth.), 1880

Listed: RL. 1933-1965, A.

Fruit: med.; flat/interm., trunc.-conic., conv.; skin yell., blushed, striped red, grey starshaped russet patch around stem; flesh firm., white; season late.

- Glorie van 't Goy

(ligt bij Houten)

Syn.: (Glorie van 't Gooi)

Prov.: raised by A.C.G.Vernooy, 1942 (Neth.)

Status: no comm. sign.

Fruit: med.; interm., trunc.-conic., conv., ribb., in eye basin; skin yell., partly blushed, striped red; flesh firm, subacid; season very late.

- Goelijke Roode

Ref.: BV.II

Prov.:

Date: Cat.PL. 1860

Fruit: tall., straight; skin yell., mainly blushed, striped red.

- Golden Delicious

Listed: RL. since 1943, A.

Prov.: U.S.A.

- Golden Lady

Prov.: U.K.

Date: Cat. C.O. 1854.

- Golden Noble

Ref.: BV.II, Otto

Prov.: U.K.

Date: Cat. PL. 1890.

- Golden Yellowspur
 Status: in IVT-collect. 1968
 Date: NAK-B. 1965
 Prov.: U.S.A.
- (Goldzeug apfel) see Drap d'Or
- Gouden Pippeling
 Syn.: (Goudappel, Pippin d'Or, Golden Pippin)
 Ref.: BV.I
 Prov.: U.K.
 Date: Cat. PL. 1860
- (Goudlaken appel) see Drap d'Or
- (Goudreinette) see Schone van Boskoop
- (Goudreinette Peter Heusgen) see Peter Heusgen's Goudreinette
- (Grahams Royal Jubilee) see Royal Jubilee
- Granaat
 Ref.: FZ. 1953 (p.867)
 Status: no comm. sign.
 Par.: Cox's Orange Pippin x Jonathan
 Prov.: raised by Hort.Dep.Univ., Wageningen (Neth.)
- (Grand Alexandre) see Keizer Alexander
- Grauwe Engelse Pippeling
 Syn.: (Pippeling Kent, Engelse Pippeling)
 Ref.: BV.I, Otto
 Prov.: uncertain
- Gravensteiner
 Syn.: Gravensteyn
 Ref.: Nhm.
 Status: NAK-B., 1958
 Prov.: pres. Danmark
 Date: Cat. CO. 1854
- Grenadier
 Prov.: uncertain
 Date: Cat. WK. 1890
- (Grijze Franse Reinette) see Franse Reinette
- Grimes Golden Pippin
 Status: NAK-B. 1954
 Prov.: U.K.
 Date: Cat. Lb. 1912
- Groninger Kroon
 Syn.: (Engelse Kroon, Zure Kroon, Groninger Princesse Noble)
 Refs.: Nhm., dG.
 Prov.: found by S.H.Brouwer at Noordbraek (Gr.)Neth. 1875
 Listed: RM. 1933-1954.
Fruit: med; interm./tall., trunc.-conic., straight, ribbed on body;
 skin mainly blushed, striped red; flesh firm, yell., subacid;
 season late.

+ Groninger Pippeling

Ref.: Ft. 1956 p.891
Status: in IVT-collect. 1956
Prov.: Neth.

+ Gronsvelder Klumpke

Syn.: Rood Klumpke, Sabot de Gronsveld)
Ref.: Nhm.

Par.: mutation of Eisdener Klumpke
Prov.: found by Claesens, Gronsveld. Neth.
Listed: RL. 1948-1962, B.

Fruit: med., irreg.; interm., trunc.-conic., conv., with fleshy
protuberance next to the stem; skin yell., green mainly blushed,
striped dark purperred; flesh sm.firm., subacid; season late.

+ Groothertog Friedrich von Baden

Ref.: Nhm.
Prov.: Germany
Date: Cat. Lb.

- Guldborg

Ref.: Nhm.
Prov.: pres. Danmark

Gulderling

Syn.: Guldelling
Cult.recorded: Gele-; Grauwe-; Dubbele-; Franse-; Rode-; Spaanse-;
Zoete-; Zure Gulderling.
Date: Cat. WK. 1890; grown before 1853.

H

↳ Habledon Deux Ans
 Syn.: (Dauerapfel von Habledon)
 Prov.: U.K.
 Date: Cat. WK. 1897

— Hallorenapfel
 Status: in IVT-collect. 1950
 Prov.: Germany
 Date: Cat. WK. 1906

— Haneman
 Status: grown around Nijmegen; 1948
 Prov.: uncertain
 Listed: RL. Betuwe 1948, A

↳ Harberts Reinette
 Ref.: Nhm.
 Prov.: Germany
 Date: Cat. WK. 1897

— Hawthornden
 Prov.: U.K.
 Date: Cat. Ga. 1880

— Haye's Gold Pippin
 Prov.: U.K.
 Date: Cat. Lb. 1912

(Helena) see Atalanta

Hendrikappel
 Status: local cult. grown in Zutphen (Neth.)
 Date: recorded in 1943
Fruit: flat, conic.; skin yell.; flesh subacid; season, sec.-early

— Hereford Beefing
 Syn.: (Herefordshire Beefing)
 Prov.: U.K.
 Date: Cat. WK. 1890

Hereford Pearmain
 Syn.: (Herefordshire Pearmain)
 Prov.: U.K.
 Date: Cat. CO. 1854

Herenappel
 Status: in IVT-collect. 1940; local cult. found in Tiel (Neth.)
 Prov.: uncertain

Herfst Bloemzoete
 Syn.: (Kandij Zoete, Goede Zoete, Waterzoetje, Herfst Sterrenappel)
 Refs.: Otto, BV II
 Prov.: uncertain
Fruit: small; flat, rect., conv.; skin yell., flushed red; flesh
 fine, white, very sweet; season late.

- Herfst Framboosappel
Syn.: (Lange Herfst Framboosappel, Gestreifter Herbst Calvil)
Prov.: uncertain
Date: Cat. WK. 1890
- Hermion van Eibergen
Status: no comm. sign.
Prov.: selected by G.J. Wasing, 1953
Date: Br. Rights 1957-1963
Fruit: large; flat, rect., conv.; skin sm. yell. green, blushed, striped red, greasy, with many small dots; flesh white, soft, subacid
- Herring's Pippin
Status: certif. N.A.K.-B. 1954-1958
Prov.: U.K.
- Heurn's Roodje
Status: no comm. sign.; local cult.
Prov.: Neth.
Date: Grown in 1943
Fruit: interm., conic., conv.; skin yell., blushed, striped purp. red; subacid; late
- Himbeerapfel von Holovous
Prov.: Germany
Date: Cat. WK. 1896
- Holgat
Syn.: (Juniappel)
Status: no comm. sign.
Date: auction Wijk bij Duurstede 1950
Fruit: small/med.; flat trunc.-conic., straight; skin yell. green, faintly blushed, russeted around stem.; flesh yell. white; firm, sweet; late
- + Hollandse Bellefleur
Syn.: (Spaanse Zuur)
Prov.: pres. Neth.
Date: in collect. W. Keessen 1939
Fruit: Tall./interm., conic.; skin yell., mainly blushed, striped red; flesh firm., cream, acid.
- Holland Pippeling
Prov.: uncertain
Date: Cat. WK. 1896
- Holleman
Syn.: (Holmanappel)
Status: local cult.
Prov.: Neth.
Date: grown in Betuwe 1930; RL. 1935, 0
Fruit: med.; interm., trunc.-conic., conv.; skin yell., mainly blushed, striped red, many dots; flesh yell., sm., subacid, la

- Honderdmark

Syn.: (Zoete Honderdmark, Zomer Erveling)
Status: in IVT-collect. 1940
Prov.: uncertain
Date: grown before 1853
Fruit: med.; flat/interm., trunc.-conic., conv., ribb. on body;
skin yell., striped red; flesh cream, sweet; mid. season

- Hondsmuul

Status: in IVT-collect. 1940
Prov.: Neth.
Date: Z.R.L. 1932
Fruit: tall.; conic., straight, ribb. in eye basin; skin yell.,
blushed, striped red; flesh cream, subacid; late

- Honingzoet

Syn.: (Honingzoete)
Status: in I.V.T. collect 1946
Prov.: Neth
Date: Cat. WK 1946
Fruit : intern, conic ~~conv~~ribb in eye, basin; skin yell, slightly
blushed, stiped red; flesh sm. cream, sweet.

- Hooilaar.

Status: local cult; no. comm. sign.
Prov. : pres. Neth
Date: recorded 1942
Fruit: tall, conic; skin yell, faintly blush. orangered; flesh firm,
cream, sweet.

- Hugo de Vries

Ref: Ft. 1951 (p.206)
Status: no comm. Sign.
Par. Notarisappel x Lunterse Pippeling
Prov: raised by Prof. H. de Vries, Lunteren (Neth); 1933
Fruit: med, interm/tall; trunc-conic; skin yell. green, mainly blue
striped dark red, rather acid, firm, yell; late.

- Hughe Gold Pippin

Ref. : Otto
Prov.: U.K.
Date: Cat. Ga. 1854.

Huisappel

Ref. Ft. 1942 (p.162)
Status: local cult, no comm. sign.
Prov. : uncertain

Huismanszoet

Syn. (Huismansappel)
Status: in I.V.T. collect 1943
Prov.: pres. Neth.
Date: Cat W.K. 1896
Fruit: med. tall, trunc-conic, straight; skin yell, Blushed red;
flesh, cream, firm, sweet.

I

4 Ingrid Marie

Status: N.A.K.B. since 1954
Prov. : Denmark
Date : RL. 1954,1967,...

(Iephof Pippin) See Schone van Iephof

- Irish Peach

Status: Cat. Lb. 1955
Prov. : U.K.
Date : Cat. WK 1890

- Ivette

Status: N.A.K.B. since 1966
Par. : Cox's Orange Pippin x Golden Delicious
Prov. : raised at Inst. Hort.Pl.Breeding, Wageningen, Neth.
Date : crossing made in 1950; Br.Rights 1966
Fruit : med.; interm, rect./trunc-conic, conv., eyebasin slightly ribb.; skin yell, flushed brown-orange, many dots; flesh cream, firm, aromatic, subacid; very late.

J

- Jacob Dirk

Status: no comm. sign.
 Prov. : raised by Lunternse Zaaillingen Ver. (neth.)
 Listed: RL. 1935
 Fruit : med.; flat, trunc-con., conv., eye ribb.; skin yell,
 flushed pinkred, striped red; flesh soft, yellowish,
 sweet; season late.

- Jacob Fischer

Status: used as interstock
 Prov. : Germany
 Date : N.A.K.B. 1954

- Jacques Lebel

Syn. : (Jacob Lebel)
 Prov.: France
 Date : Cat. Lb. 1940
 Listed: RL. 1933-1935, A.

(Jag'appel) See Couleur de Chair

- James Grieve

Ref. : Nhm.
 Prov. : U.K.
 Listed: RL. since 1933

- James Grieve Lired

Par. : mutation of James Grieve
 Prov. : select. by fa. A. van Liere (Kappelle), Neth.
 Listed: RL. since 1960
 Fruit : skin blushed bright red.

- Jan Lucas

Status: no comm. sign.
 Prov. : pres. Neth.
 Date : in I.V.T. collect. 1940
 Fruit : flat/interm, conic; skin yell, green, striped, flushed red,
 flesh cream, subacid; season sec. early.

Early Lucas

- Jan Merks
 - Status: no comm. sign.
 - Date. : recorded in 1943
 - Fruit : interm/~~tall~~, conic; skin yell, striped lightred; flesh cream, subacid.

- Jan Steen
 - Status: no comm. sign
 - Par. : Sterappel x Cox's Orange Pippin
 - Prov. : raised at Hort.Dep.Univ. Wageningen
 - Date : Cat Lb. 1955; Br. Rights 1957-1962
 - Fruit : med.; flat, rect., conv.; skin pale yell, mainly blushed crimsonred, many lenticels; flesh white, sometimes tinged red; subacid; season late.

- Jasappel
 - Ref. : Nhm.
 - Status: *NAK B. 1954*
 - Prov. : pres Neth.
 - Fruit : med./small; tall, trunc-conic, conv., ribb in eyeb.; skin green, sometimes flushed purperred with many lenticels, greasy; flesh cream, firm, dry, sweet; season late.

(Jeruzalemmer) See Pigeon Rouge

- Johanna-appel
 - Syn. : Johanna
 - Status: no comm. sign.
 - Prov. : uncertain
 - Date : recorded 1942
 - Fruit : tall, conic, straight; skin yell, blushed, striped red; flesh yellowish, subacid; season late.

- Jonadel
 - Status: N.A.K.B. 1963-1966.
 - Prov. : U.S.A.
 - Listed: R.L. 1962- 1965, N.

- Jonared
 - Status: N.A.K.B. 1963-1966
 - Prov. : U.S.A.
 - Listed: R.L. since 1962-

- Jonathan
 - Ref. : Nhm.
 - Prov. : U.S.A.
 - Listed: R.L. since 1935, A.

- Jonwin
 - Status: N.A.K.B. 1963
 - Prov. : U.S.A.
 - Listed: R.L. 1960-1962;

- Joppe appel
 - Status: no comm. sign.
 - Prov. : sold at auction Goes, Neth.
 - Fruit : small; tall, conic; skin mainly red, flesh firm, cream, sweet.

- Joopzoete
 - Prov. : pres. Neth.
 - Date : Cat P.L. 1860
 - Fruit : flesh sweet

Joseph Musch Reinette
Prov. : Germany
Date : Cat.W.K. 1896.

Jubilee van Zegenworp
Status: no comm. sign
Prov. : pres, Neth.
Date : Cat Lb. 1951-1960
Fruit : med., trunc-conic/flat, con ; skin yell, blushed, striped
orangered; flesh yell, subacid

(Juniappel) see Holgat.

Junizoet
Status: no comm. sign,
Prov. : pres Neth.
Date : recorded 1910 at Hort.College Frederiksoord, Neth.

-- Kafappel

Prov. : pres. Neth.
 Date : Cat. Lb. 1934
 Listed: RL. 1933-1935, N.
 Fruit : med.; flat, trunc.-conic., conv., ribb. on body; skin yell., many dots; flesh green-white, firm, subacid.

-- Kalco

Syn. : (Carola in D.D.R.)
 Prov. : Germany
 Date : Br. Rights 19.. (holder Max Planck Inst., Köln)

-- Kameleon

Ref. : Ft-1951 (p. 206)
 Status: no comm. sign.
 Par. : Sterappel x Cox's Orange Pippin
 Prov. : raised at Hort. Dep. Univ. Wageningen (Neth.)
 Fruit : med.; interm., trunc.-conic, conv., skin pale yell., mainly striped red; flesh creamy, subacid; very late.

-- Kanappel

Status: no comm. sign.
 Prov. : pres. Neth.
 Date : I.V.T. collect. 1940

(Kandijzoete) see Herfst Bloemzoete

(Kaneelzoet) see Zoete Kafappel

-- Kaneelzuur

Status: in I.V.T. collect. 1944
 Prov. : pres. Betuwe (Neth.)
 Date : grown before 1900
 Fruit : med.; interm., trunc.-conic; skin mainly blushed red, greasy; flesh green-white, firm, subacid; late.

-- Kannetjesappel

Status: in I.V.T. collect. 1943
 Prov. : pres. Neth.
 Fruit : med.; flat, conic, skin yell., flesh subacid.

-- Kappai Red Jonathan

Prov. : Australia
 Listed: RL. 1958-1960, N.

-- Karakter Reinette

Syn. : (Karakterappel, Netjesappel, Reinette Valkenier)
 Refs. : Otto, BV I
 Prov. : uncertain
 Date : Cat. Ga. 1870

(Karendsveld Reinette) see Reinette van Karendsveld

-- Karmijn

Status: in I.V.T. collect. 1967; not released.
 Prov. : raised by ir. P. de Sonnaville, Winssen (Neth.)
 Par. : Cox's Orange Pippin x Jonathan
 Fruit : med.; interm., trunc.-conic, conv; skin yell., shortstriped red flush; flesh yell.-white, juicy, subacid/sweet, arom.; 1

- † Keizer Alexander
 Syn. : (Emperor Alexander, Aporta, Keizerappel, President Napoléon, Stoke Tulip, Korallen Apfel, Le Grand Empereur.)
 Refs. : Otto
 Prov. : Russia
 Date : Cat. CO 1854
- Keddlestone Pippin
 Prov. : U.K.
 Date : Cat. W.K. 1896
- Kerry Pippeling
 Syn. : (Citroen Pippeling)
 Refs. : -BV I
 Prov. : U.K.
- Kesterens Wijnzuur
 Syn. : (Uil)
 Prov. : found by J.C. van den Berg at Kesteren (Neth.), 1900
 Listed: RL 1933-1935
 Fruit : med.; flat, interm., conic; skin yell., flushed, striped orangered; flesh creamy, subacid; mid season.
- Keswick Codlin
 Syn. : (Codlin Keswick)
 Ref. : Nhm
 Date : Cat. W.K. 1908
 Prov. : U.K.
 Listed: RL 1933-1948 (A, B.)
- Keuleman
 Syn. : Keulemans, Gueule de Mouton
 Ref. : Nhm
 Prov. : Belgium
 Listed: RL 1948-1954
 Fruit : med./small, tall, conic, straight, eye basin ribb, skin green-yell., blushed, consp. striped pink to darkred; flesh green-white, firm, coarse, arom., subacid; very late.
- Keuls Paradijs
 Syn. : (Pondsappel)
 Status: no comm. sign.
 Date : local var. grown before 1930
 Prov. : pres. Neth.
- Keivingappel
 Syn. : Keiving, Keien
 Status: in I.V.T. Collect. 1948
 Prov. : Belgium or Neth.
 Listed: RL 1933-1935, N.
 Fruit : interm., trunc-conic; skin yell., mainly striped red; flesh green-white, subacid; late.
- † Kidd's Orange Red
 Status: Cat. Lb. 1965-1967
 Prov. : N. Zealand

- King of the Pippins
 Syn. : Engelse Winter Goud Pearmain, Reine des Reinettes
 Prov. : U.K.
 Listed: RL 1933-1935
- Klapstaart
 Prov. : pres. Neth.
 Listed: RL. 1935, 0
- + Koningin Emma
 Status: in I.V.T. collect. 1946; no comm.sign.
 Prov. : Neth.
 Fruit : med.; flat, trunc.-conic, conv.; skin yell., blushed,
 striped red, flesh creamy, subacid/acid; late.
- Koningspippeling
 Syn. : (Reinette van Breda; Koningsappel; Engelse Konings Pippin;
 Kings Pepping; Pearmain Royal.)
 Ref. : Otto
 Prov. : uncertain
 Fruit : small/med.; interm., trunc-conic; skin green-yell.,
 russet markings, rough; flesh subacid.
- Koningsrood
 Status: in I.V.T. collect. 1944; local var. in Betuwe (Neth.)
 Prov. : uncertain
 Date : grown about 1900
 Fruit : small/med., interm., trunc.-conic, conv.; skin orange-yell
 mainly blushed bright red, russeted around cavity; flesh
 white, soft, subacid; very late.
- + Koningszuur
 Syn. : Engelse Bellefleur
 Ref. : Nhm
 Prov. : found by J. de Kock, Lienden (Neth.); 1850
 Listed: RL. 1934-1954
 Fruit : med.; interm., tall, conic, straight, eyebasin ribb.; skin
 yell., mainly blushed bright red; flesh white, firm,
 subacid; very late.
- Koorappel
 Status: local var., no comm. sign.
 Prov. : pres. Neth.
 Date : recorded 1943
 Fruit : med., trunc.-conic, conv., eyebasin ribb; skin yell,
 blushed red; flesh firm, yell., subacid.
- (Korpendu) see Court Pendu
- Kortstelen
 Status: local var., no comm. sign.
 Prov. : pres. Neth.
 Date : recorded 1939
 Fruit : flat/interm.; trunc.-conic, conv.; skin yell., somewhat
 flushed and striped; flesh creamy, subacid; late.

- Kraker

Status: local var., in I.V.T. Collect. 1943
Prov. : pres. Neth.
Fruit : med., interm., trunc.-conic, conv.; skin yell. blushed,
striped pinkred; flesh subacid.

- Kroonappel

Status: local var., no comm. sign.
Prov. : pres. Betuwe (Neth.)
Date : recorded 1900; 1944
Fruit : tall; trunc.-conic, conv.; eye basin ribb; skin yell.-green
flushed orangered, many dots; flesh greenish, subacid.

- Kruidappel

Ref. : Otto
Date : Cat. PL 1866
Prov. : Neth.

- Kuipers Eersteling

Status: in I.V.T. collect. 1950; no comm. sign.
Prov. : Neth.
Fruit : flat, trunc.-conic, conv.; skin yell., striped red; flesh
creamy, subacid; late.

L

- Lady Henniker
 - Syn. : (Kattekop)
 - Prov. : U.K.
 - Date : Cat. WK. 1890

- Lady Sudeley
 - Syn. : (Roem van Kolland)
 - Prov. : U.K.
 - Date : Cat. Lb. 1938
 - Listed: RL. 1933-1934

- Landsberger Reinette
 - Ref. : Nhm
 - Prov. : Germany
 - Date : Cat. WK 1911
 - Listed: RL. 1933-1938, A.

- Lane's Prince Albert
 - Ref. : Nhm
 - Prov. : U.K.
 - Date : Cat. WK 1890
 - Listed: 1933-1943

- Laurierappel
 - Status: in I.V.T. collect. 1950
 - Prov. : uncertain

- Laxton's Early Crimson
 - Prov. : U.K.
 - Listed: RL. 1960-1962, N.

- Laxton's Epicure
 - Status: N.A.K.B. 1948-1963

- Laxton's Exquisite
 - Status: N.A.K.B. 1948-1963
 - Prov. : U.K.

- Laxton's Fortune
 - Ref. : Nhm
 - Status: N.A.K.B. 1948-1966
 - Prov. : U.K.

- Laxton's Superb
 - Ref. : Nhm
 - Prov. : U.K.
 - Listed: RL. since 1936

- Lemoenappel
 - Syn. : (Limoenappel)
 - Ref. : Nhm, dG
 - Prov. : Select. by J.Th.W. van den Ham, Lunteren (Neth.), 1855
 - Date : commercialised 1899
 - Fruit : large; tall/interm., conic, straight; eye basin ribb; skin yell with brownish overcolour, flushed red; flesh subacid, firm, cream; late.

- Lentse Rode
 - Syn. : (Lents Rood, Schager Roode)
 - Ref. : Nhm
 - Status: grown in Betuwe (Neth.); 1940
 - Prov. : pres. Neth.
 - Fruit : med.; interm., conic, conv., eye basin ribb; skin pale y
mainly blush bright cherryred; flesh white, subacid;
mid-season.

- Leven Alma
 - Syn. : (Leva Alma)
 - Prov. : pres. Neth.
 - Date : Cat. WK 1911
 - Listed: RL 1934, O.
 - Fruit : med.; flat/interm., trunc.-conic, conv.; not ribb; skin ye
blushed and striped cherryred; flesh firm, cream, subaci

- Lienden's Wijnzuur
 - Status: local var.
 - Prov. : Lienden (Neth.)
 - Date : recorded 1942
 - Fruit : med.; interm., trunc.-conic, conv.; skin yell., flushed
many dots; flesh yell., subacid; late.

- Liesappel
 - Status: in I.V.T. collect. 1943; no comm. sign.
 - Prov. : pres. Neth.
 - Fruit : med.; flat, trunc.-conic, conv.; skin yell., slightly fl
striped red; flesh creamy, soft, subacid; early.

- Lieve Vrouwenappel
 - Status: in I.V.T. collect. 1949, no comm. sign
 - Prov. : pres. Neth.
 - Listed: RL. 1933-1934, O.

- Limburgse Bellefleur
 - Syn. : (Noyappel)
 - Status: in I.V.T. collect. 1946
 - Par. : Sterappel x Brabantse Bellefleur
 - Prov. : raised in Swalmen (Neth.)
 - Date : recorded 1939
 - Fruit : small/med.; interm., rect, conv., not ribb; skin pale,
yell. striped cherryred; flesh white, soft, subacid; late

- Limburgse Grauwe Reinette
 - Status: local var.
 - Prov. : pres. Limburg (Neth.)
 - Date : recorded 1946

- Lindenappel
 - Status: local var.
 - Prov. : pres. Neth.
 - Date : recorded 1939

- Linnaeus Pippeling
 - Syn. : (Yellow Bellefleur)
 - Status: No comm sign.
 - Prov. : pres. Neth.
 - Listed: RL. 1933-1935
 - Date : Cat. Ga. 1880

- Lobo

Prov. Canada
Listed: RL. 1957-1965, B.

- Loddington

Ref. : dG.
Prov. : U.K.
Date : Cat. WK 1911

- Lodi

Prov. : U.S.A.
Listed: RL. 1962-1965, N.

- Lombartscalville

Syn. : (Witte Winter Lombartscalville, Dongenappel)
Date : introd. by P. Lombarts, Zundert (Neth.), 1911
Listed: RL. since 1948, A.
Fruit : med., interm., conic, conv., eye bas. ribb; skin sm., yell., greasy; flesh white, rather soft, subacid; season very late.

- London Pippin

Syn. : (Pepin de Londres, London Pepping)
Ref. : Otto, Nhm
Prov. : U.K.
Date : Cat. WK. 1890
Listed: RL. 1938-1954

- Loofkransen

Status: local var.
Prov. : pres. Limburg (Neth.)
Date : recorded 1943
Fruit : med.; flat, conic, skin yell., striped pinkred; flesh cream, soft, subacid; mid-season.

- Lord Derby

Status: N.A.K.B. 1954
Prov. : U.K.

- Lord Grosvenor

Prov. : U.K.
Date : Cat. WK. 1897
Listed: RL. 1933-1935, O.

- Lord Lambourne

Rei. : Nhm
Prov. : U.K.
Listed: RL. 1958-1965, N.

- Lord Suffield

Prov. : U.K.
Date : Cat. Ga. 1880
Listed: RL. 1933-1935, O.

- Lucullus

Status: No comm. sign.
Par. : Jonathan x Cox's Orange Pippin
Prov. : raised at Hort. Dep. Univ., Wageningen (Neth.)
Date : Breeders' Rights 1953-1959
Fruit : med.; flat, trunc.-conic, conv., not ribb; skin yell.; blushed, striped cherryred-orange; flesh cream-white, firm, subacid.

- Lunterse Pippeling

Ref. Nhm

Status: No comm. sign.

Prov. : raised by Lunterse Zaailingen Ver., about 1900

Date : Cat. Lb. 1954

Listed: RL. 1935-1948

Fruit : med./small; interm./flat, rect, conv., not ribb; skin greenish yell., russeted, rough; flesh green white, firm, subacid; very late.

- Lunterse Present

Status: No comm. sign.

Prov. : Lunteren (Neth.)

Listed: RL. 1933, 0.

Date : Cat. Lb. 1954

Fruit : large; tall; skin yell.

(Madeleine) - see Transparente Jaune

- Maikenblush

Prov.: U.K.

Date: Cat. WK. 1896

- Manks Codlin

Ref.: Nhm.

Prov.: U.K.

Listed: R.L.1933-1960 (A)

- Mantet

Prov.: Canada

Listed: R.L.1958-1967 (N)

- Margrater Reinette

Status: recorded 1946

Prov.: Margraten (Neth.)

- Maria Biesheuvel

Status: no comm. sign.

Prov.: select. by W. Biesheuvel, Klaaswaal (Neth.)

Date: Breeders Rights 1949-1959

Fruit: large; flat, trunc.-conic., conv.; eye basin ribb.; skin yell., blushed, striped carmine-dark red; flesh yellowish white, subacid; late.

- Marie José d'Otheé

Status: grown in Limburg (Neth.)

Date: about 1940

Prov.: Belgium.

- May Queen

Ref.: Nhm.

Prov.: U.K.

Listed: R.L.1938-1954.

- Marie

Syn.: Marie van der Vlies, Pomme Marie

Ref.: Otto

Prov.: raised by C. van der Vlies about 1850 - Hazerswoude (N.)

Fruit: small/medium; flat/interm., trunc.-conic., conv.

- Megumi

Status: N.A.K.-B. 1963, 1965

Prov.: Japan

- Meippippin

Status: in I.V.T.collect. 1943

Prov.: pres Neth.

Fruit: med.; flat, rect., conv.; skin green yell., blushed, striped red; russet markings; flesh subacid; late.

- Meizoet
 - Status: grown in Betuwe about 1933; no comm. sign.
 - Prov.: pres. Neth.
- Melanie Moerland
 - Status: in I.V.T.collect. 1948
 - Prov.: pres. Neth.
- Melba:
 - Ref.: Thm.
 - Prov.: Canada
 - Listed: R.L.1938-1954 (0)
- Meloenappel
 - Status: grown in Betuwe
 - Prov.: pres. Neth.
 - Date: recorded 1940
 - Fruit: med.; interm., conic., conv./straight, irreg.; skin yell., striped pinkred, body russeted; flesh yellowish, soft; slightly sweet.
- Melrose
 - Prov.: U.S.A.
 - Listed: R.L.1957, 1967.
- Merton Beauty
 - Prov.: U.K.
 - Status: N.A.K.-B. 1962, 1966.
- Merton Worcester
 - Prov.: U.K.
 - Listed: R.L.1960 (N.)
- Millicent
 - Prov.: U.K.
 - Listed: R.L.1962, 1967.
- Mimi
 - Status: no. comm. sign.
 - rar.: Jonathan x Cox's Orange Pippin.
 - Prov.: raised at Hort. Dep. Univ. Wageningen (Neth.)
 - Date: crossing made in 1936; Breeders Rights 1953-1959.
 - Fruit: med; flat/interm., rect., conv.; skin pale yell., blushed, striped bright red; flesh creamy, subacid, very late.
- Mio
 - Prov.: Sweden
 - Listed: R.L.1962, 1967.
- Mother
 - Prov.: U.S.A.
 - Date: Cat. WK 1896.

Mr. Gladstone

Prov.: U.K.

Date: Cat. WK. 1890.

Mulderappel

Status: no. comm. sign.

Par.: seedling from 'notarisappel'

Prov.: select. by A. Mulder, Soest (Neth.)

Date: recorded 1946

Fruit: med.; flat, rect., conv.; skin yell.; blushed red; flesh soft, creamy, subacid; mid season.

Muskaat Reinette

Refs.: BV II, Otto

Prov.: Germany or France

Date: Cat. WK. 1890.

Mutsu

Prov.: Japan

Listed: R.L. 1967.

- Neerlands Glorie
 Status: used as interstock
 Prov. : pres. Neth.
 Date : N.A.K.-B. since 1948
 Fruit : Large; interm, conic; skin green-yellow, mainly covered with russet; flesh firm, white.
- Neuer Berner Rosenapfel
 Prov. : Germany
 Date : Cat. W.K. 1906
- Neustadt's Gold Pippin
 Prov. : Germany
 Date : Cat. Lb. 1912
- Newton Pippin
 Ref. : Nhm.
 Prov. : U.K.
 Date : Cat. P.L. 1860
- Newton Wonder
 Prov. : U.K.
 Date : Cat. *W. Mesman 1968; NAK.B 1952.*
- (Noblesse) see Princesse Noble
- Nonnetit
 Prov. :
 Date : Cat. C.O. 1854, Cat. Lb. 1956
- Nonsuch Langton
 Prov. : U.K.
 Date : Ga. 1880
- (Nordhausen) see Schöner von Nordhausen
- Noorderkroon
 Status: in I.V.T. collect. 1951
 Par. : Schellinkhouter x Beauty of Bath
 Prov. : Hort. Adv. Serv. Groningen 1934 (Neth.)
 Fruit : med/large, interm., trunc-conic, conv; skin yell.green blushed, striped red; flesh firm white, subacid; mid-se
- Northern Spy
 Prov. : U.S.A.
 Date : Cat. Ga 1880
 Status: N.A.K.-B. 1958
- Notarisappel
 Ref. : Nhm.
 Status: Cat. Lb. 1967
 Par. : pres. seedling of Princesse Noble
 Prov. : raised bij J.H. Th. van den Ham, Lunteren (Neth.)
 Date : selected 1890; first exhibited 1899
 Listed: RL. 1933-1954
 Fruit : large; tall, conic; eye basin ribb; skin yell-green, striped red; flesh creamy subacid; mid-season; triploid.
- Nouvelle France
 Prov. : France
 Date : Cat. PL. 1897

Odenwalder

Status: in collect. W. Keessen
 Prov. : Germany
 Date : recorded 1943
 Fruit : med.; tall, conic; skin yell, sm.; flesh subacid; kitchen apple.

Odin

Par. : Golden Delicious x Ingrid Marie
 Prov. : bred b "Inst. Hort. Pl. Br." (I.V.T.); Wageningen
 Date : crossing made in 1950; Br. Rights 1966
 Listed: RL. 1965
 Fruit : med.; interm, trunc-conic, conv. eye basin ribb; skin pale yell, mainly blushed, striped bright crimson red; flesh cream, soft, subacid; mid. season, late.

Ontario

Prov. : U.S.A.
 Date : Cat. WK. 1890
 Listed: R.L. 1933-1935 (C.)

(Oogstappel) see yellow Transparente

(OostFrieze Calville) see Ostfriesischer Calville

Oost Indische Compagnie

Prov. : pres. Neth.
 Date : Cat. PL. 1860

(Oranje appel) see Oranje Reinette

Oranje Reinette

Syn. : Reinette d'Orange, Oranje appel
 Ref. : dG.
 Prov. : uncertain
 Date : Cat. PL. 1863

Oranje Reinette van Pomona

Ref. : Nhm.
 Prov. : uncertain
 Date : recorded 1940
 Fruit : med.; interm., conic, straight; skin yell., many brown dots; flesh white, firm, acid; mid-season.

Oriole

Prov. : U.S.A.
 Date : N.A.K.-B. 1963-1966
 Listed: RL. 1960-1965 (N.)

(Ossekop) see Belle Fleur Large Mouche

Ostfriesischer Calville

Syn. : Oost Frieze Calville
 Prov. : pres. Germany
 Date : recorded 1946

- Paarskop

Status: no comm. sign.

Prov. : uncertain

Date : recorded 1939 (auction Goes (NL))

Fruit : med.; flat, trunc-conic, conv.; skin yell., blushed purper, russet markings around stem.; flesh firm, sweet.

- Pannekoekappel

Status: no comm. sign.

Prov. : uncertain

Date : recorded 1943

Fruit : med.; interm, trunc.-conic.; skin yell., mainly striped brown-red; flesh creamy, sweet; mid-season.

- Paradijsappel

Prov. : pres France

Date : Cat. PL. 1865

Fruit : med.; flat, rect., conv., body ribb.; skin yell., blushed and striped red; flesh firm, subacid; late.

(Paradijszoete) see Zoete Paradijs

- Pater van Elsen

Ref. : Nhm.

Prov. : raised bij P.J.G. Aarts, Bergeyk (NL)

Date : selected in 1928; commerc. 1934

Listed: RL. 1935-1948 (0)

Fruit : med./large; tall/interm, trunc.-conic., skin yell. mainly blushed and striped bright red, many dots, slightly green; flesh green, white, subacid; late/very late.

(Pauwtjes) see Couleur de Chair

- Peasgood's Nonsuch

Ref. : dG.

Date : Cat. WK 1890

Prov. : U.K.

- Peau de Vache

Status: used as interstock

Prov. : uncertain

Date : N.A.K.-B. 1948-1950

- Peerzoete

Status: in I.V.T.-collection 1942

Prov. : uncertain

Date : Cat. PL. 1860

Fruit : tall, conic.; skin yell., flushed red; flesh sweet.

- Peetappel

Status: no comm. sign.

Prov. : uncertain

Date : recorded 1945

Fruit : tall, conic., concave; skin yell.. flushed red, many dots; flesh soft, subacid, yell.

- Pepelingen

Status: no comm. sign.

Prov. : pres. Limburg (NL)

Date : recorded 1946

Peperappel

Syn. : (Reinet Tulpa, Bristol ReINETte)
Ref. : Otto, BV I
Date : Cat. W.K. 1865, Cat. Lb 1943
Prov. : uncertain
Fruit : small, interm., trunc.-conic., conv.; skin yell.-green,
flushed brownred, russet markings; flesh yell. white,
firm, arom., subacid; very late.

(Perzikappel) see Pfirsichroter Sommerapfel.

(Perzikrode Zomerappel) see Pfirsichroter Sommerapfel.

Peter Heusgens Goudreinette

Syn. : (Heusgens Goudreinette)
Status : in I.V.T.-collect. 1943
Date : Cat. WK 1896
Prov. : Germany

Peterselieappel

Status : in I.V.T.-collect. 1943
Date : Cat. PL 1860
Prov. : pres. Betuwe (NL)
Fruit : large; interm./tall, trunc.-conic., conv.; skin yell.,
blushed and striped purperred; flesh tart., acid, firm.,
mid. season.

Petit Bon Pommier

Syn. : (Brabantse Bellefleur, Enkele Bellefleur.)
Ref. : Nhm.
Prov. : uncertain
Listed : RL 1933-1948 (A)
Fruit : med.; interm., trunc.-conic., conv.; skin sm., mainly
blushed and striped bright red; flesh white, subacid,
arom.; very late.

Pfirsichroter Sommerapfel

Syn. : Streepjesappel, Perzikappel, Perzikrode Zomerappel
Prov. : Germany
Listed : RL 1933-1957 (B)

Pigeon Blanc

Syn. : Blanke Poom, Lekkerbeetje, Weisser Winter Taubenapfel
Ref. : BV I
Prov. : uncertain

Pigeon Rouge

Syn. : (Rode Poom, Lekkerbeetje, Winterzijdenhemdje, Rother
Winter Taubenapfel.)
Ref. : BV I, Otto
Prov. : uncertain
Date : Cat. Ga 1880
Fruit : small, tall, rect., conv.; skin sm., blushed, flamed
very late

Pisangappel

Status : no comm. sign.; in I.V.T.-collect. 1944
Prov. : uncertain
Date : Cath. Lb. 1921

Pladejappel

Status: no comm. sign.
Prov. : uncertain
Date : recorded at auction Goes (NL), 1940
Fruit : med.; flat, rect., conv., body ribb.; skin sm. yell., blushed
and striped red; flesh yell.-white; firm, subacid; very late.

Poelmans Rode James Grieve

Par. : red mutant of 'James Grieve'
Prov. : selected by A.A.M. Poelmans, Dreumel (NL)
Listed: RL 1960-.....
Tested: Br. Rights 1963-1968
Fruit : med.; interm., trunc.-conic., conv.; skin pale yell., blushed
red; flesh yell., arom., subacid. ripens 10 days after 'James Grieve'.

(Pomme de Coeur) see Sterappel

Pomme d'Or

Syn. : Goudpippin
Status: used as interstock
Prov. : uncertain
Date : N.A.K.-B. 1954-

(Pomme d'Orange) see Zoete Grauwe Reinette

(Pomperange) see Zoete Grauwe Reinette

Pomme Rosa

Syn. : (Smeedse)
Status: grown in Limburg (NL)-1940
Prov. : uncertain

Pomme Rosa Verbrugh

Syn. : (Roodjes)
Prov. : selected by D. Verbrugh, Eck en Wiel (NL)
Date : recorded 1910
Listed: RL 1954-1957
Fruit : small/med.; interm., trunc.-conic.; skin yell., blushed
striped carmine red; sm. flesh, firm, yell., subacid; very late.

(Rondsappel) see Keuls Paradijs

(Praagse Reinet) see Sykehouse Russet

Present van Andelst

Syn. : (Zomer Princesse Noble)
Status: local. var.
Prov. : Andelst (NL)
Date : recorded 1940
Fruit : med., interm., trunc.-conic., conv., not ribb.; skin sm.
yell., mostly striped red; flesh firm; subacid; sec. e

Present van Engeland

Syn. : (Heerappel)
Refs. : BV II, Nhm., dG.
Prov. : uncertain
Listed: RL 1933-1962
Fruit : large, tall, conic., straight; skin yell., blushed light
red; flesh white, soft, subacid; very late.

- Present van Friesland

Ref. : Ft. 1934(p. 67)
Par. : seedling from Present van Engeland
Prov. : by H.E. Westra, Hardegarijp (NL) 1920
Listed: RL. 1935 (0)

- Present van Hien

Status: in I.V.T.-collect. 1948
Prov. : pres. Hien (NL)
Fruit : large, irreg., flat/interm., rect., conv.; skin yell, stri
red, sm.; flesh soft, subacid, very late.

- Present van Holland

Ref. : Nhm.
Par. : seedling of Present van Engeland
Prov. : by fa. Ludwig, Hillegom. 1914
Date : introd. by fa. G.A. van Rossum, Naarden 1954
Listed: 1935-1954
Fruit : med./large, interm./tall, trunc.-conic., conv., eye basin
ribb.; skin yell, slightly blushed red, flesh white, soft
subacid; very late.

- Present Royal d'Hiver

Ref. : BV I
Prov. : pres. France
Date : Cat. WK 1897

- President Boudewijn

Status: no comm. sign.
Par. : Jonathan x Cox's Orange Pippin
Prov. : at Hort. Dep. Univ. Wageningen-1936
Testing: Br. Rights 1953-1959
Fruit : small/med., flat/rect., conv., not ribb., skin green yell
blushed and striped brown-red, many dots, russet markings
flesh green white, subacid; arom.

- Président Defays Dumonceau

Prov. : France
Date : Cat. W.K. 1890

- Président d'Escourt

Status: used as interstock
Prov. : pres. France
Date : N.A.K.-B. 1954

- Primus

Status: no comm. sign.
Par. : Sterappel x Cox's Orange Pippin
Prov. : at Hort. Dep. Univ. Wag. 1936
Testing: Br. Rights 1953-1959
Fruit : med.; flat/interm., trunc.-conic., conv.; skin pale, yell
blushed orangered, many dots; flesh creamy, firm, sweet;
very late.

- Princesse Adelaïde

Prov. : uncertain
Date : Cat. Ga 1854

- Princesse Louise

Prov. : pres. France
Date : Cat. WK 1906

Princesse Noble

Syn. : (Kroonappel, Franse Kroonappel, Noblesse, Bles Alantappel, Pomme d'Année.)
 Ref. : Otto, Nhm. dG.
 Prov. : pres. Neth. or France
 Date : recorded 1758 (Knoop)
 Listed: RL. 1933-1954
 Fruit : med.; tall, trunc.-conic., conv.; skin yell. flushed and striped carminered, sm.; flesh firm, subacid, arom., late

- Prinkels Red Jonathan

Par. : red mutant of Jonathan
 Prov. : mutant found at Wadenooyen (NL)
 Listed: RL since 1962
 Fruit : med., interm., trunc.-conic., conv., eye bas.ribb.; skin largely blushed, red; flesh firm, subacid; very late.

- Prinsappel

Prov. : uncertain
 Date : Cat. WK. 1890

- Prinses Beatrix

Status: no comm. sign.
 Par. : Cox's Orange Pippin x Jonathan (1935)
 Prov. : bred at Hort. Dep. Univ. Wag.
 Testing: Br. Rights 1955-1959
 Fruit : med.; flat/interm., trunc.-conic., conv.; skin yell., bl and shortstriped dark red; flesh yell.-white, soft, subacid; very late.

- Prins Bernhard

Status: no comm. sign.
 Par. : Jonathan x Cox's Orange Pippin (1935)
 Prov. : bred at Hort. Dep. Univ. Wag.
 Testing: Br. Rights 1955-1959
 Fruit : med.; flat/interm., trunc.-conic., conv.; skin sm. yell. blushed and striped brown-cherryred; flesh yell-white, subacid; very late.

Prinses Irene

Status: no comm. sign.
 Par. : Jonathan x Cox's Orange Pippin (1935)
 Prov. : bred at Hort. Dep. Univ. Wag.
 Testing: Br. Rights 1955-1959
 Fruit : med.; flat/interm., trunc.-conic., conv.; skin sm. pale blushed and striped cherryred; flesh creamy, firm, subacid; late/very late.

Prinses Marie

Prov. :
 Date : Cat. WK. 1896

† Prinses Margriet

Status: no comm. sign.
 Par. : Cox's Orange Pippin x Jonathan - 1936
 Prov. : bred at Hort. Dep. Univ. Wag.
 Date : RL 1957-1959 (N)
 Fruit : med.; interm., trunc.-conic., skin yell. $\frac{3}{4}$ blushed brown cherryred; flesh firm, creamy. subacid, arom.; late.

Prinses Marijke

Status: no comm. sign.

Par. : Cox's Orange Pippin x Jonathan - 1936

Prov. : bred at Hort. Dep. Univ. Wag.

Date : recorded 1952-1958

Fruit : med.; flat/interm.; skin yell., blushed and striped brown-orangered; flesh creamy, soft, subacid.

- Prinses Willemien

Status: no comm. sign.

Prov. : uncertain

Date : recorded 1943

Fruit : med.; interm., straight; skin yell. slightly striped red; flesh yell., soft, subacid.

- Prof. Sprengerappel

Syn. : (Sprengerappel)

Status: no comm. sign.

Par. : Cox's Orange Pippin x Cox Pomona

Prov. : bred by J.A. Doortjes, Tiel (NL)

Date : RL 1954, N.A.K.-B. 1954-1958

Fruit : med.; flat/interm., conv.; body ribb.; skin yell. blushed and shortstriped dark-purperred; flesh white, subacid.

- Puritan

Status: N.A.K.-B. 1963-1966

Prov. : U.S.A.

Queen

Syn. : (The Queen)
 Ref. : Nhm.
 Prov. : U.K.
 Listed: RL. 1933 - 1935

R

- Rambour Papeleu
 - Ref. : dG
 - Prov.: Belgium
 - Date : Cat. WK.1896

- Rambour Mortier
 - Status: used as interstock
 - Prov. : uncertain
 - Date : NAK-B. 1948 - 1956

- Rapid
 - Status: used as interstock
 - Prov. : uncertain
 - Date : NAK-B. 1954

- Redcoat Grieve
 - Par. : red mutant of James Grieves
 - Prov.: U.K.
 - List.: R.L. 1948 - 1954

- Red Crimson Beauty
 - Par. : red mutant of Crimson Beauty
 - Prov.: U.S.A.
 - Date : NAK-B. 1958

- Red Jonathan
 - Par. : red mutant of Jonathan
 - Prov.: U.S.A.
 - List.: R.L. 1962 - 1967

- Red Mac Intosh
 - Par. : red mutant of Mac Intosh
 - Prov.: U.S.A.
 - Date : NAK-B. 1958 - 1967

- Red Melba
 - Par. : red mutant of Melba
 - Prov.: U.S.A.
 - Date : NAK-B. 1958 - 1967

- Red Spy
 - Par. : red mutant of Northern Spy
 - Prov.: U.S.A.
 - Date : NAK-B. 1958, 1963

- Reine de France
 - Refs.: Otto, B.V.
 - Prov.: seedling found in Tiel (NL)
 - Date : Cat.Ga. 1880
 - Fruit: med; tall, conic; sm.yell. flushed red; subacid

- (Reine des Reinettes) see King of the Pippins
- (Reinette Ananas)) see Ananas Reinette
- (Reinette Baumann) see Baumann's Reinette
- (Reinette de Blenheim) see Blenheim Orange
- (Reinette van Breda) see Koningspippeling
- Reinette de Bretagne
Ref. : B.V.I
Date : Cat. C.O. 1854
Prov.: France
- Reinette du Canada
Ref. : dG
Prov.: uncertain
Date : Cat. W.K. 1990
- (Reinette de Caux) see Casseler Reinette
- Reinette de Champagne
Ref. : dG
Prov.: Belgium or France
Date : Cat. Co. 1854
- Reinette Descadres
Prov.: France
Date : Cat. W.K. 1892
list.: RL. 1933-1935
- (Reinette Dorée) see Zure Grauwe Goudrenette
- Reinette van Ekenstein
Refs.: Otto, BV.
Prov.: seedling selected by Mr. O.R. Alberda van Ekenstein,
Appingedam/Nl.
Date : selected 1830
Listed: RL. 1933 - 1954
Fruit: med ; interm; skin yell. with russet markings;
flesh cream, firm, subacid, mid-season.
- (Reinette Etoilée) see Sterappel
- (Reinette de France) see Franse Reinette
- Reinette de Granville
Prov.: France
Date : Cat. WK. 1890

Reinette van Karendsveld

Refs.: Otto, BVI
Prov.: uncertain
Date : Cat. Ga.1854
Fruit: small, interm, trunc-conic, straight;
skin; mainly citrus yell., blushed red;
subacid; late

Reinette Monstrueuse

Syn. : (Reinette Montforte, Gulden Reinette).
Refs.: Otto, BVI
Fruit: med; interm, rect., conv.; skin rough, brown-red,
russet markings; flesh cream, subacid; very late.

Reinette Nelguin

Refs.: Otto, BVI
Prov.: uncertain
Date : Cat. P.L.1860

Reinette d'Oberdieck

Ref. : dG
Prov.: Germany

Reinette d'Ontz

Prov.: Belgium
Date : Cat. WK. 1890

Reinette d'Or

Syn. : (Goud Reinet, Renedor, Pomme de Laak, Dutch Mignonne.
Prov.: uncertain
Ref. : Otto, BVI
Fruit: med; flat, rect, conv.; skin rough, russet markings;
subacid; very late.

Reinette d'Orange

Ref. : dG
Prov.: uncertain

Reinette d'Osnabrück

Syn. : (Zure Reinette)
Ref. : Otto
Prov.: Germany
Date : Cat. W.K.1890

Reinette de Portugal

Prov.: uncertain
Date : Cat. CO.1854

(Reinette Rouge Etoilée) see Sterappel

(Reinette Tulpa) see Peperappel

(Reinette Valkenier) see Karakter Reinette.

(Reinette Wellington) see Wellington.

- Reinette van Zorgvliet
Ref. : BV.I
Prov.: uncertain
Date : Cat. Ga.1854
- Reinette van Zuccamaglio
Syn. : (Zuccamaglio Reinette)
Ref. : Nhm.
Prov.: Germany
Date : Cat. Lb. 1934
Listed:RL. 1933 - 1948 (B).
- Rembrandt
Status: no.comm.sign.
Par. : Brabantse Bellefleur x Jonathan
Prov. : bred at Hort. Dep.Univ. Wageningen.1936
Date : NAK-B. 1958
Fruit : med; flat/rect.,conv.; yell.mainly blushed bright red; flesh soft, subacid, arom.; very late
- Reukappel
Status: in IVT collect. 1950
Prov. : pres. Neth.
Date Cat. WK.1890
- Ribston Pippin
Refs.: BV.II, Otto, dG.,Nhm.
Prov.: U.K.
Date : Cat. P.L. 1866
- Rival
Ref. : Nhm
Prov.: U.K.
Date : NAK-B. 1948
- Rijnzoet
Syn. : (Reinzoste)
Status:in IVT collect. 1940; local var.
Prov.: pres Betuwe (NL)
Date : grown in 1900
Fruit: small; flat, trunc-conic; skin sm. yell, blushed red; flesh firm, sweet-
- Robijn
Ref. : Ft.1953 p.867.
Par. : Cox's O.P. x Jonathan
Prov.: bred at Hort.Dep. Univ. Wag.
Date : NAK-B. 1958
Fruit: small,
- Rode Aagt
Syn. : (Rode Tulpkroon, (Engelse Aagt) Purperroter Agathappel)
Ref. : BV.I
Prov.: uncertain
Date : Cat. PL.1860

Rode Astrakan

Syn. : (Rode Astrakaner, Rode Astrachan)
Refs.: Otto, BV.I.
Prov.: pres. Russia
Date : Cat. Co.1854

Rode Boskoop

Par. : red mutant of Schone van Boskoop
Prov.: selections introduced by Verheul, Kalfs;
Lambrechts. (Neth)
Date : NAK-B. since 1958
Listed:RL. since 1958
Fruit: skin rough, green-yell, mainly blushed red.

Rode Boskoop Schmitz Hübsch.

Syn. : (Rode Boskoop Bieling; Schmitz Hübschappel.)
Par. : red mutant of Grauwe Reinette or Schone van
Boskoop
Prov.: introd. by Schmitz Hübsch (Germany)
Date : NAK-B. 1958
Listed:RL. since 1958

(Rode Cox) see Crimson Cox; Crimson Cox

Rode Gravensteiner

Par. : red mutant of Gravensteiner
Prov.: Denm. or Germany
Date : NAK-B. 1954 - 1966

Rode Herfst Calville

Syn. : (Rode Rammelaar, Rode Wijnappel, Gelders Present',
Krootappel, Calville Rouge d'Automne, Grelot.)
Refs.: BV.I, Otto
Prov.: uncertain
Fruit: med; intern, rect, conv.; ribs very pronon; skin
sm.mainly purperred; flesh white, flushed red;
subacid, arom; mid-season

Rode Jonathan

Par. : red mutant of Jonathan
Prov.: selections introduced by: Heines, Fleuren, Leys;
Theuns, Vogelaar; "Wilhelminapolder".
Listed:RL. since 1962
Fruit: skin sm., yell. mainly blushed and patched red

Rode Keuleman

Par. ; red mutant of Keuleman
Prov.: found at St.Truiden (Belg.) about 1900
Listed:P.L. 1948 - 1954

(Rode Kroonappel) see Rode Tulpappel

Rode Paradijsappel
Prov.: uncertain
Date : Cat. PL. 1860

(Rode Poom) see Pigeon Rouge

(Rode Reinette) see Sterappel

Rode Schijveling
Syn. : (Weldrager, Enkel Rood)
Prov.: pres Neth.
Listed: RL. (Geld., Utr., Ov.) 1938

(Rode Striepjesappel) see Couleur de Chair

Rode Tulpappel
Syn. : (Rode Kroonappel, Rode Joop)
Ref. : Nhm
Prov.: pres. Neth.
Date : recorded in 1758 (Knoop)
Listed: RL. 1938-1943
Fruit : med; tall, trunc-conic, straight; skin mainly
blushed, striped red; subacid; early.

- Rode Wijnappel
Refs.: BV.III; Otto
Status: Cooking appel
Prov. : uncertain
Date : recorded 1758 (Knoop)

(Rode Yellow) see Ejby

- Rode Zomercalville
Syn. : (Madelein Rouge, Pigeon Rouge d'Eté)
Ref. : Otto
Date : recorded in 1758 (Knoop)
Fruit: small, interm, conic; ribbed on body, skin yell,
blushed red ; subacid ; second-early.

- Roemeling
Syn. : (Zoete Roemeling)
Status: in IVT.collect, 1950
Prov. : pres. Neth.
Date : recorded 1932
Fruit : med; interm, conic; skin sm.yell; many
lenticels; sweet; see-early.

Roem van Holland

Status: no comm.sign
Prov. : uncertain
Date : described 1942
Fruit : med; flat, conv., rect.; skin yell, blushed,
striped red; flesh yellowish; subacid; late.

Roem van Dekker

Syn. : (Dekker's Roem)
Prov.: introd. by Dekker, Zaamslag (Neth.)
Listed:RL 1954-1957
Fruit :large; irreg., interm; trunc-conic,conv.; skin
green yell., striped red; flesh dry, subacid,
very late; triploid

Roem van Vianen

Status: no comm. sign.; local var.
Prov. : unknown seeding
Date : introd. by Mr.M.J.A.Willems, Vianen(Neth) -1946
Fruit : med; interm, trunc-conic, conv.; skin yell, mainly
blushed red; acid, mid-season.

Roggezoet

Status: no. comm. sign.
Prov. : uncertain
Date : described 1942
Fruit : med.; flat/interm, trunc-conic, conv.; skin yell,
mainly striped red; sweet; late.

Rozeblaadje

Status: no. comm. sign.
Prov. : uncertain
Date : recorded 1943
Fruit : med.; interm, conv.; skin sm.yell, blushed bright
red; flesh soft, acid, mid-season.

Royal Jubilee

Syn. : (Grahams Royal Jubilee)
Prov.: U.K.
Date : NAK-B. 1948

Rubens

Status: no. comm.sign.
Ref. : Ft.1953-p-867
Par. : Sterappel x Cox's Orange Pippin
Prov. : bred at Hort.Dep.Univ.Wag. 1936
Date ; recorded 1953

S

- Scarlet Benoni

Par. : Red mutant of Benoni
Prov.: found by B.Kruik, Oostvoorne(Neth.)
Date : Br.Rights 1967
Fruit: skin partly blushed bright red

- Schaapsneus

Syn. : (Schaafsnase, Matappel, Spitzapfel)
Status:grown in Limburg, about 1940.(Neth.)
Prov. :Germany

- Schageroo

Syn. : (Skagerrood, Schagerroodje)
Status:in collect Keess. 1939
Prov. :Denm.
Date :Cat.WK.1890

- Schellinkhout

Syn. : Schellinkhouter, Schellinghout
Ref. : Nhm
Prov.: raised by G.Dekker, Schellinkhout.1885
Listed:R.L.1935 - 1954.(B)
Fruit :med, tall, trunc-conic, conv, not ribb; skin sm.,
pale yell, striped red; flesh wh. soft, subacid,
midseason.

- Schone Johanna-appel

Status: in I.V.T.collect
Prov. : pres. Neth.

(Schone var. Bath) see Beauty of Bath

- Schone van Boskoop

Syn. : (Boskoop, GoudreINETTE)

Ref. : Nhm, dG

Prov.: pres. Neth.

Listed: RL. since 1933 (A)

Fruit : large; intern, rect., conv.; skin rough, green-yell
partly russeted, flushed orangered; flesh firm,
cream, crisp, rather acid; very late triploid.

- Schone van Iephof

Syn. : (Iephof Pippin)

Status: in IVT collect. 1962

Prov. : introd. by fa. Anna Bosgra, Bergum. (Neth.)

Listed: RL. 1943 - 1954(0)

Fruit : med; tall, trunc-conic, conv.; skin yell, partly
blushed orangered, sm.; flesh cream, firm, subacid;
mid-season.

- Schöner von Nordhausen

Ref. : Nhm

Prov.: Germany

Listed: RL. 1948 - 1954 (B)

(Schijveling) see Vlaamse Schijveling

(Schrijver) see Vlaamse Schijveling

- Schutters Reinette

Prov. : uncertain

Date : Cat. WK. 1896

Listed: RL. 1933 - 1935 (0)

- Schweizer Orangenapfel

Status : NAK-B. 1966

Prov. : Switzerl.

Listed: RL. 1960 - 1962 (N)

- Sevenum Streepje

Syn. : (Sevenum Striefke)

Status: no. comm.sign., in IVT collect 1950.

Date : NAK-B. 1950/51.

(Siberische Glasappel) see Virginische Rosenappel.

Signe Tillisch

Ref. : Nhm

Prov.: Denm.

Listed: RL. 1933 -1948 (A)

Sint Maarten

Status : no comm.sign., in collect Keessen

Prov. : pres. Neth.

Date : recorded 1939

(Smeedse) see Pomme Rosa

Smeetsappel

Status : no comm. sign.

Prov. : uncertain

Date : in IVT collect.

(Smitz Hubschappel) see Rode Boskoop Schmitz Hübsch.

- Spaans z uur

Status : no comm.sign.

Prov. : uncertain

Date : recorded 1943

Fruit : interm, trunc-conic, conv.; skin yell, striped red, flesh soft, acid.

Spartan

Prov. : U.S.A.

Date : NAK-B. 1958, 1956

- Spencer

Prov. : Canada
Date : RL. 1962 - 1965 (N)

(Sprengerappel) see Prof. Sprengerappel

- Stark Earliest

Syn. : Scarlet Pimpernel
Prov. : U.S.A.
Listed: RL. 1957 - 1967 (A)

- Starcking

Syn. : (Red Delicious)
Prov.: U.S.A.
Date : NAK-B. 1954, 1966

- Starkspur Golden Delicious

Par. : spurtype mutant of Golden Delicious
Prov.: U.S.A.
Date : Br..Rights 1968

- Sterappel

Syn. : (Rode Reinette, Pomme de Coeur, Sterreinet,
Reinette Rouge Etoilée)
Refs.: dG, Nhm.
Prov.: Neth. or Belg.
Date : introd. ± 1830
Listed: R.L. 1933 -1957
Fruit : med; small; interm, rect, conv.; not ribb.,
skin: entirely blushed bright red, russet spots,
many lenticels; flesh firm, cream with red veins,
subacid; very late.

- Sweden Appel

Status : Cat. Lb. 1906
Prov. : uncertain
Date : Cat. WK. 1890

- Sweet Caroline

Syn. : (Zoete Lien)
Par. : Golden Delicious x Red Mc. Intosh
Prov. : Bred at Inst.Hort. PL.Br.(IVT), Wageningen
Date : NAK-B. 1966
Fruit: med; interm, trunc-conic, conv, not ribb;
skin yell, blushed bright red; flesh firm,
sweet; very late.

- Sweet Cornelly

Syn. : (Zoete Nel)
Par. : Golden Delicious x Red Mc.Intosh
Prov. : bred at Inst.Hort. Pl.Br., Wageningen.
Date : NAK-B. 1966
Fruit: med/large; flat, trunc-conic, conv;ribb prominent;
skin yell, largely covered red;
flesh: firm, white, sweet; very late.

- Sykehouse Russet

Syn. : (Praagse Reinete, Mennonisten Reinette)
Ref. : Otto, BV.I.
Prov. : U.K.
Date : Cat. P.L. 1863.

Tante Dora

Status: no comm. sign.; recorded 1942
 Prov.: bred by Lunterse Zaailingen Ver.
 Date: Cat. WK 1906
 Fruit: med.; interm., trunc-conic, conv.; skin yell.,
 sometimes flushed pinkred, many large dots; flesh firm,
 cream; subacid.

(Tarweappel) see Zomeraagt

(Tarwappel) see Couleur de Chair

Taunton Cross

Status: N.A.K.-B. 1958, 1966.
 Prov.: U.K.
 Listed: R.L. 1957 - 1960 (N)

Tiels Pomona

Status: no comm. sign.
 Par.: seedling of Cox's Orange Pippin
 Prov.: raised by J. Doortjes, Tiel (Neth.), 1930
 Date: application Br Rights 1946 - withdrawn 1947

(Thurston August) see Discovery

Tonnetjes = *Lede tulppappel in Fe*

Syn.: (Tonnekes)
 Status: local var. (Limbg)
 Prov.: uncertain
 Date: in I.V.T. collect. 1946

Topaas

Ref.: Ft. 1952.p 879
 Status: no comm. sign.
 Par.: Sterappel x Cox's Orange Pippin
 Prov.: bred at Hort. Dep. Univ. Wageningen, 1936
 Date: Cat. W. Mesman 1968 - 1969
 Fruit: small/med.; interm., conic, yell., blushed orangered;
 flesh firm, yellowish; subacid; very late.

Transparente de Croncels

Ref.: dG., Nim.
 Prov.: France
 Date: Cat. W. Mesman 1968 - 1969
 Listed: R.L. 1933 - 1954

Transparente Jaune

Syn.: (Yellow Transparent, Madeleine
 Transparente Blanche, Oogstappel, White
 Transparente, Weisser Klarapfel.)
 Prov.: Russia
 Listed: R.L. 1933 - 1967 (A)

(Triomphe de Kiel) see Bramley's Seedling

- Tuinzoet

Syn.: (Kaneelzoet, Zoete Pippeling, Zoete van der Bent),
Status: no comm. sign., local var.

Prov.: uncertain.

Date recorded in 1943

Fruit: small/med.; interm., rect., conv.; skin sm., yell.,
blushed red; flesh firm, cream; sweet; late.

(Tulp Aagt) see Blanke Aagt

+ Tulpappel

Status: no comm. sign.

Prov.: pres. Neth.

Dat: H.A.K.-B. 1948 - 1954

Listed: R.L. 1933 - 1935

+ Tumanga

Syn.: (Auralia (in D.D.R.))

Prov.: Germany - Max Planck Inst., Köln.

Date: in I.V.T. collect. since 1964

- Tydeman's Early

Syn.: Tydeman's Early Worcester

Prov.: U.K.

Listed: R.L. 1954, 1967.

U

(Uil) see Kesterens Wijnzuur

- Uitgeesterzoet

Prov. : Neth.
Date : Cat. WK 1900
Fruit : flesh: sweet

Listed: R.L. 1933-1935

Fruit : small/med.; flat, intern., conv.; skin sm., yell, blushed, striped red; flesh white, firm, subacid.

- Vlaamse Zoete

Prov. : pres. Belgium

Date : Cat. WK. 1890

- Vogelcaiville

Prov. : selected by C.A. Vogel, Hoge Zwaluwe (Neth.)

Listed: R.L. 1933-1954

Fruit : large/med.; intern., trunc-conic, conv. eye basin ribb.; skin sm. yell; flesh white, firm, subacid; very late.

- Vroege van Afferden

Prov. : Afferden (Neth.)

Date : recorded 1947

Fruit : med.; intern., trunc-conic, conv.; skin green-yell, blushed, striped cherryred; sm. flesh soft, acid; early.

W

- Warner's King

Prov.: U.K.
Date : Cat. W.K. 1890

Washington

Prov.: U.S.A.
Date : Cat. W.K. 1890

(Waterzoetje) see Herfst Bloemzoete

- Wealthy

Ref. : Nhm.
Prov.: U.S.A.
Date : N.A.K.-B. 1948 - 1966

(Weisser Glockenapfel) see Glockenapfel

(Weldrager) see Rode Schijveling.

Weldrager

Status: local var., no comm. sign.
Prov. : pres. Neth.
Date : recorded 1942
Fruit : med.; flat/tall, variable, trunc-conic, conv., skin yell., blushed, striped purperred; flesh yell., firm, subacid; mid.season.

Wellington

Prov.: U.K.
Date : Cat. C.O. 1854

- Westlandse Bellefleur

Syn. : Tulpappel, Tulpers
Ref. : BV. I
Prov.: uncertain
Fruit: flat/interm., trunc-conic, conv.; skin yell., flamed, striped red.

- Willem Balk

Status: local var., in I.V.T. collect. 1946
Prov. : Neth.
Date : recorded 1950
Fruit : med.; flat, trunc-conic., conv., ribb. on body; skin pale yell., blushed, striped carminered; flesh subacid.

- Willem III

Status: no comm. sign.
Par. : seeding of 'Princesse Noble'
Prov. : selected by J. Lindemulder, Midwolde (Neth.)
Date : recorded 1943

Fruit: med., flat/tall, variable, trunc-conic, conv.;
skin yell., blushed, striped red; flesh firm, cream
acid; sec.-early.

- Wilson Red June

Prov. : U.S.A.
Date : N.A.K.-B. 1954 - 1958

- Winschoter Glorie

Status : in I.V.T. collect. 1946
Prov. : Winschoten (Neth.)
Date : recorded 1943
Fruit : med.; flat, trunc-conic, conv.; skin yell., flushed,
striped pinkred; flesh yell., firm, sweet/subacid;
early

- Winston

Syn. : (Wintercheer, Winterking)
Prov. : U.K.
Listed : R.L. 1943, 1967

- Winter Banana

Prov. : U.S.A.
Listed : R.L. 1948 - 1954
Date : N.A.K.-B. 1948 - 1966

- Winterbloemzoet

Syn. : (Pokappel, Winter Sterrenappel)
Prov. : pres. Neth.
Date : Cat. Ga. 1880

- Winterperzikappel

Ref. : Ft. 1951 - p. 207
Status : no comm. sign.
Par. : Brabantse Bellefleur x Jonathan
Prov. : bred at Hort. Dep. Univ. Wageningen - 1935
Date : Cat. Lb. 1960
Fruit : med.; interm., trunc-conic., conv.; skin yell.,
blushed darkred; flesh subacid, mid season.

(Winterzijdenhemdje) see Pigeon Rouge

- Witte Astrakan

Ref. : Otto
Prov. : pres. Russia
Date : Cat. CO 1854

- Witte Wijnappel

Status : in I.V.T. collect. 1950
Prov. : uncertain
Date : Cat. CO. 1854

(Witte Winter Calville) see Calville Blanc d'Hiver

(Witte Winter Lombartscalville) see Lombartscalville

Worcester Pearmain

Syn. : Worcester Paimain

Prov. : U.K.

Listed : R.L. 1935 - 1943

Y

(Yellow Bellefleur) see Linnaeus Pippeling

(Yellow Transparant) see Transparant Jaune

(Yellow Spur) see Golden Yellowspur

IJsselpronk

Ref. : Ft. 1951 - p. 206

Status : in I.V.T. collect. 1963

Prov. : selected by Miss A.D.J. Verloren van Themaat,
Warnsveld (NL)

Fruit : med./large; intern., trunc-conic, conv.; skin yell.,
blushed, striped red; flesh white, subacid, mid-season.

Zigeunerin

Ref. : Nhm
 Prov. : pres. Russia
 Listed : RL. 1933 - 1957 (B)
 Fruit : med./large, interm./tall, trunc-conic; straight; skin sm. yell. blushed, flamed bright red; flesh soft, greenish, subacid; sec.-early.

(Zijden Hemdje) see Zomer Aagt

(Zijden Hemdje) see Pigeon Rouge

(Zoete Aagt) see Enkele Zoete Aagt

(Zoete Aagt) see Dubbele Zoete Aagt

Zoete Bellefleur

Syn. : (Dolfijn, Zoete Dolfijn, Zoete Pigeon)
 Status : recorded 1942
 Prov. : uncertain
 Fruit : interm., trunc-conic, conv.; skin largely red striped and blushed; flesh greenish, firm, sweet; very late.

(Zoete Bloemee) see Bloemeezoet

(Zoete Campagne) see Campagnezoet

Zoete Dobbert

Syn. : Zoete Bobbert, Dobbert Zoet
 Prov. : pres. Neth.
 Status : used as interstock.
 Date : N.A.K.-B. 1948
 Fruit : med.; flat, rect., conv.; skin green-yell., firm; flesh sweet; midseason.

Zoete Ermgaard

Syn. : (Armgaard, Ermgaarde Zoete)
 Refs. : Otto, Nhm, dG
 Prov. : pres. Neth.
 Listed : 1933 - 1965
 Fruit : med.; interm./tall, straight, conic., body ribb.; skin pale yell., blushed, striped red; flesh firm, cream, sweet; late.

Zoete Erveling

Prov. : pres. Neth.
 Date : Cat. W.K. 1890.

Zoete Grauwe Hoolaart

Syn. : (Gorinchemse)
 Ref. : Otto, de G.
 Prov. : pres. Neth.
 Fruit : med./small; flat/interm., trunc-conic, conv., body ribb.; skin yell.-green, many grey dots, russeted, rough; flesh firm, sweet; late.

- Zoete Grauwe Reinette

Syn. : (Grauwzoete, Kaneelzoete, Zoete Reinette, Pomperange, Pomme d'Orange)
Refs. : BV I, d G., Nhm.
Prov. : uncertain
Date : Cat. P.L. 1860
Listed : R.L. 1933
Fruit : small/med.; flat/interm., rect., conv.; skin rough, russeted, greyish brown; flesh cream, firm, sweet; late/very late.

Zoete Gulderling

Prov. : uncertain
Date : Cat. W.K. 1890,

- Zoete Holaert

Syn. : (Zoete Holaart)
Prov. : pres. Neth.
Listed : 1933 - 1935

(Zoete Honderdmark) see Honderdmark

- Zoete Kafappel

Syn. : (Kaneelzoet, Blanke Zoete Reinette).
Ref. : Otto
Prov. : uncertain
Fruit : med./small, interm./tall, conic, straight; skin yell., covered by russet; flesh firm, sweet.

(Zoete Kanappel) see Zoete Schijveling

! Zoete Kroon

Syn. : (Zoete Winterkroon)
Prov. : sel. by S.H. Brouwer, Noordbroek(Neth.); 1870
Listed : R.L. 1963, 1967
Fruit : med./small; flat/interm.; skin yell., blushed, striped red; flesh yell., sweet; late.

: Zoete Oranje

Par. : Sterappel x Cox's Oranje Pippin
Prov. : raised at Hort. Dep. Univ. Wageningen
Listed : 1957, 1967
Fruit : med., flat/interm., trunc-conic, conv.; skin yell., blushed, short striped orangered; flesh subacid/sweet; very late.

- Zoete Paradijs

Syn. : (Paradijszoete)
Ref. : Otto
Prov. : uncertain
Date : Cat. P.L. 1860
Listed : R.L. 1933 (B)
Fruit : med./small; interm., trunc-conic, conv.; skin pale yell., blushed striped orangered to purper; flesh firm, sweet; late.

- Zoete Pippeling

Syn. : Zoete van der Bent

Prov. : uncertain

Date : R.L. (Groningen, Drente) 1948.

Fruit : flesh sweet.

> fout ; ³ 2 rassen

- Zoete Princesse Noble

Syn. : (Grosser süsser Alantapfel)

Refs. : Otto, BV I, d G.

Fruit : med.; trunc-conic; green yell. flamed, striped bright red; flesh green white; skin firm, sweet; very late.

(Zoete Reinette) see Zoete Grauwe Reinette

(Zoete Roemeling) see Roemeling

- Zoete Ruster

Prov. : pres. Neth.

Date : recorded auction Goes 1940

Fruit : flat, rect., conv.; skin largely blushed purperred; flesh sweet

- Zoete Schijveling

Syn. : (Zoete Kanappel)

Prov. : uncertain

Date : P.L. 1860

Fruit : flesh sweet

- Zoete Striepeling

Prov. : uncertain

Date : recorded at auction Goes 1940

Fruit : med.: flat; skin striped, blushed red; flesh sweet; very late.

(Zoete van der Bent) see Zoete Pippeling

- Zoete Veen

Syn. : (Zoete Veentje, Veentje)

Prov. : pres. Neth.

Date : Cat. P.L. 1860

Fruit : small; flat, rect., conv.; skin yell., striped red, russet patches; flesh firm, sweet; very late.

(Zoete Winterkroon) see Zoete Kroon

- Zomeraagt

Syn. : (Zomer Agatha, Oogstappel, Tarwappel, Pijpappel, Blanke Tulpappel Witte Kruidappel, Zijden Hemdje)

Refs. : BV I, Otto

Date : Cat. P.L. 1860

Listed : R.L. 1933 - 1934

Fruit : med./small, tall, conic, concave, skin: yell., blushed red; flesh soft, subacid/sweet.

- Zomer Cuissinot

Syn. : (Zomer Kroon, Zomer Aagt, Coussinotte d'Eté)

Refs. : Otto, BV I

Prov. : pres. Neth.

Fruit : small, rect., trunc-conic; skin pale yell., striped, flamed carminered; flesh wh., subacid/sweet, mid-season.

(Zome Zijden Hemdje) see Couleur de Chair

(Zomer Erveling) see Honderdmark

(Zomer Princesse Noble) see Present van Andelst

- Zonzoete

Prov. : uncertain

Date : Cat. W.K. 1908, 1924.

- Zonappel

Prov. : uncertain

Date : Cat. P.L. 1860

(Zuccamaglio Reinette) see Reinette van Zuccamaglio

(Zure Brabantse Bellefleur) see Petit Bon Pommier

(Zure Franse) see Franse Zure

- Zure Grauwe Goudreinette

Syn. : (Zure Grauwe Reinette; Reinette Dorée; Jaune Tardive)

Refs. : BV I, Otto, Nhm.

Prov. : uncertain

Fruit : rather small; flat, interm.; skin rough, russeted, yell.-brown, flushed red; subacid; very late.

(Zure Kroon) see Groninger Kroon

- Zure Paradijs

Syn. : (Kastanje Paradijs)

Ref. : Ft. 1942 (p 162)

Prov. : pres. Neth.

- Zure Veen

Prov. : pres. Neth.

Date : Cat. W.K. 1890, 1916.

(Zure Wildjesappel) see Enkhuizer Aagt

(Zure Reinette) see Reinette d'Osnabrück